

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Red Nose library | Research list 2012

Navigating this document

Jump to:

Published research: Sudden, unexpected death during the perinatal period, infancy and childhood

[Accidental death research](#) | [Bereavement research](#) | [Perinatal death research](#) |

[SUDI research](#) | [Suicide research](#)

PERINATAL DEATH RESEARCH

Abdel-Latif, Mohamed E, Julee Oei, Fiona Craig, Kei Lui, NSW and ACT NAS Epidemiology Group. Profile of infants born to drug-using mothers: A state-wide audit. *Journal of Paediatrics and Child Health* 49, Issue 1, E80–E86, January 2013

Department of Neonatology, The Canberra Hospital, Garran, Australian Capital Territory, Australia | [PubMed link](#)

Ahmad, A. S., & Samuelsen, S. O. (2012). Hypertensive disorders in pregnancy and fetal death at different gestational lengths: a population study of 2 121 371 pregnancies. *BJOG : An International Journal of Obstetrics and Gynaecology*, 119(12), 1521-1528.

Department of Obstetrics and Gynaecology and Medical Faculty Division, Akershus University Hospital, Lørenskog, Norway | [PubMed link](#)

Alio AP, Salihu HM, McIntosh C, August EM, Weldeselasse H, Sanchez E, Mbah AK. The effect of paternal age on fetal birth outcomes. *Am J Mens Health*. 2012 Sep;6(5):427-35..

University of Rochester, NY, USA. | [PubMed link](#)

Aliyu MH, Salihu HM, Lynch O, Alio AP, Marty PJ. Fetal sex and differential survival in preeclampsia and eclampsia. *Arch Gynecol Obstet*. 2012 Feb;285(2):361-5. Epub 2011 Jul 20.

Department of Preventive Medicine and Institute for Global Health, Vanderbilt University, Nashville, TN, USA. | [PubMed link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Arnold A, Beckmann M, Flenady V, Gibbons K. Term stillbirth in older women. *Aust N Z J Obstet Gynaecol.* 2012 Jun;52(3):286-9.

Department of Obstetrics and Gynaecology, Mater Mothers Hospital, South Brisbane, QLD, Australia. | [PubMed link](#)

Auger N, Delézire P, Harper S, Platt RW. Maternal education and stillbirth: estimating gestational-age-specific and cause-specific associations. *Epidemiology.* 2012 Mar;23(2):247-54.

Institut National de Santé Publique du Québec, Montréal, Québec, Canada. | [PubMed link](#)

Auger N, Park AL, Yacouba S, Goneau M, Zayed J. Stillbirth and residential proximity to extremely low frequency power transmission lines: a retrospective cohort study. *Occup Environ Med.* 2012 Feb;69(2):147-9. Epub 2011 Jul 8.

Institut national de santé publique du Québec, Canada. | [PubMed link](#)

Bourdial, H., Jamal-Bey, K., Edmar, A., Caillet, D., Wuillai, F., Bernede-Bauduin, C., . . . Randrianaivo, H. (2012). Congenital heart defects in La Reunion Island: a 6-year survey within a EUROCAT-affiliated congenital anomalies registry. *Cardiology in the Young*, 22(5), 547-557..

Neonatal and Paediatric Intensive Care Unit, Pole Femme-Mere-Enfant, Centre Hospitalier Regional, Saint-Pierre, La Reunion, France. | [PubMed link](#)

Catalano, R. A., Saxton, K. B., Bruckner, T. A., Pearl, M., Anderson, E., Goldman-Mellor, S., . . . Kharrazi, M. (2012). Hormonal evidence supports the theory of selection in utero. *American Journal of Human Biology : The Official Journal of the Human Biology Council*, 24(4), 526-532.

School of Public Health, University of California Berkeley, Berkeley, California, USA. | [PubMed link](#)

Cornman-Homonoff J, Kuehn D, Aros S, Carter TC, Conley MR, Troendle J, Cassorla F, Mills JL. Heavy prenatal alcohol exposure and risk of stillbirth and preterm delivery. *J Matern Fetal Neonatal Med.* 2012 Jun;25(6):860-3. Epub 2011 Jul 5.

Division of Epidemiology, Statistics and Prevention Research, Eunice Kennedy Shriver National Institute for Child Health and Human Development, National Institutes of Health, Department of Health and Human Services, Bethesda, MD, USA. | [PubMed link](#)

Costeloe KL, Hennessy EM, Haider S, et al. Short term outcomes after extreme preterm birth in England: comparison of two birth cohorts in 1995 and 2006 (the EPediatric intensive care unit (PICU) re studies). *BMJ* 2012;345:e7976 Published online December 4 2012

Centre For Paediatrics, Blizard Institute, Barts and the London School of Medicine and Dentistry, Queen Mary University of London, London, UK | [PubMed link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Dhaifalah I, Zapletalova J. Safety and risks associated with screening for chromosomal abnormalities during pregnancy. *Ceska Gynekol.* 2012 Jun;77(3):236-41.

Department of Genetic and Fetal Medicine, University Hospital, Olomouc, Czech Republic. | [Pubmed link](#)

Doskoch, P. (2012), Risk Factors Present at Start of Pregnancy Have Little Clinical Value for Predicting Stillbirths. *Perspectives on Sexual and Reproductive Health*, 44: 65–66

Publisher provided [abstract](#)

Downe S, Kingdon C, Kennedy R, Norwell H, McLaughlin MJ, Heazell AE. Post-mortem examination after stillbirth: views of UK-based practitioners. *Eur J Obstet Gynecol Reprod Biol.* 2012 May;162(1):33-7.

School of Health, University of Central Lancashire, UK. | [PubMed link](#)

Drysdale, H., Ranasinha, S., Kendall, A., Knight, M., & Wallace, E. M. (2012). Ethnicity and the risk of late-pregnancy stillbirth. *The Medical Journal of Australia*, 197(5), 278-281.

Department of Obstetrics and Gynaecology, Southern Clinical School, Monash University, Melbourne, VIC, Australia. | [PubMed link](#)

Faiz AS, Demissie K, Rich DQ, Kruse L, Rhoads GG. Trends and risk factors of stillbirth in New Jersey 1997-2005. *J Matern Fetal Neonatal Med.* 2012 Jun;25(6):699-705. Epub 2012 Feb 18.

School of Public Health, University of Medicine and Dentistry of New Jersey, Piscataway, NJ, USA. | [PubMed link](#)

Faiz, A. S., Rhoads, G. G., Demissie, K., Kruse, L., Lin, Y., & Rich, D. Q. (2012). Ambient air pollution and the risk of stillbirth. *American Journal of Epidemiology*, 176(4), 308-316.

Department of Medicine, Robert Wood Johnson Medical School, University of Melbourne and Dentistry of New Jersey, New Brunswick, NJ 08903, USA. [PubMed link](#)

Fell DB, Sprague AE, Liu N, Yasseen AS, Wen SW, Smith G, Walker MC. H1N1 Influenza Vaccination During Pregnancy and Fetal and Neonatal Outcomes. *American Journal of Public Health* 2012 June,102(6): e33-e40 [\[full text\]](#)

Better Outcomes Registry & Network (BORN) Ontario, Children's Hospital of Eastern Ontario Research Institute, Centre for Practice Changing Research, Ottawa, Ontario, Canada | [\[Read More\]](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Ferrari, F., Facchinetti, F., Yin, H., Saade, G. R., & Longo, M. (2012). Single-nucleotide polymorphisms in genes involved in placental function and unexplained stillbirth. *American Journal of Obstetrics and Gynecology*, 207(4), 316.e1-316.e7.

Division of Maternal-Fetal Medicine, Mother-Infant Department, University of Modena and Reggio Emilia, Modena, Italy | [PubMed link](#)

Giannantonio, C., Semeraro, C. M., Fioretti, M., Molisso, A., Lio, A., Gallini, F., . . . Romagnoli, C. (2012). Renal failure of the surviving fetus after intrauterine death of the co-twin. *Fetal and Pediatric Pathology*, 31(5), 336-339. Department of Paediatrics, Catholic

University, Division of Neonatology, Rome, Italy | [PubMed link](#)

Giwnewer, U., Wiznitzer, A., Friedler, J. M., Sergienko, R., & Sheiner, E. (2012). Intrauterine fetal death of one twin of diamniotic twins is associated with adverse perinatal outcome of the co-twin. *The Journal of Maternal-Fetal & Neonatal Medicine : The Official Journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*, 25(8), 1453-1455.

The Joyce and Irving Goldman Medical school, Faculty of Health Sciences, Soroka University Medical Center, Ben Gurion University of the Negev, Be'er-Sheva, Israel | [PubMed link](#)

Gordon A, Raynes-Greenow C, McGeechan K, Morris J, Jeffery H. Stillbirth risk in a second pregnancy. *Obstet Gynecol.* 2012 Mar;119(3):509-17.

Department of Neonatal Medicine, Royal Prince Alfred Hospital, Sydney School of Public Health and Sydney Medical School, University of Sydney, New South Wales, Australia. | [PubMed link](#)

Hadar E, Melamed N, Sharon-Weiner M, Hazan S, Rabinerson D, Glezerman M, Yogev Y. The association between stillbirth and fetal gender. *J Matern Fetal Neonatal Med.* 2012 Feb;25(2):158-61. Epub 2011 Mar 31.

Helen Schneider Hospital for Women, Rabin Medical Center, Petach Tikva, Israel | [PubMed link](#)

Harper LM, Cahill AG, Smith K, Macones GA, Odibo AO. Effect of maternal obesity on the risk of fetal loss after amniocentesis and chorionic villus sampling. *Obstet Gynecol.* 2012 Apr;119(4):745-51.

Department of Obstetrics and Gynecology, Washington University, St. Louis, MO, USA. | [PubMed link](#)

Helgadottir, L. B., Skjeldestad, F. E., Jacobsen, A. F., Sandset, P. M., & Jacobsen, E. M. (2012). The association of antiphospholipid antibodies with intrauterine fetal death: a case-control study. *Thrombosis Research*, 130(1), 32-37.

Department of Haematology, Oslo University Hospital Ullevål, Oslo, Norway. | [PubMed link](#)

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Hu IJ, Chen PC, Jeng SF, Hsieh CJ, Liao HF, Su YN, Lin SJ, Hsieh WS. A nationwide survey of risk Jersey 1997-2005. *J Matern Fetal Neonatal Med.* 2012 Jun;25(6):699-705. Epub 2012 Feb 18.

School of Public Health, University of Medicine and Dentistry of New Jersey, Piscataway, NJ, USA. | [PubMed link](#)

Hui D, Okun N, Murphy K, Kingdom J, Uleryk E, Shah PS. Combinations of maternal serum markers to predict preeclampsia, small for gestational age, and stillbirth: a systematic review. *J Obstet Gynaecol Can.* 2012 Feb;34(2):142-53

Maternal Fetal Medicine Division, Department of Obstetrics and Gynaecology, Sunnybrook Health Sciences Centre, Toronto ON. | [PubMed link](#)

Hulthen Varli, I., Petersson, K., Kublickas, M., & Papadogiannakis, N. (2012). Both acute and chronic placental inflammation are overrepresented in term stillbirths: a case-control study. *Infectious Diseases in Obstetrics and Gynecology, 2012*, 293867.

Department of Obstetrics and Gynecology, Karolinska University Hospital, Solna and Karolinska Institutet, Stockholm, Sweden | [PubMed link](#)

Iacovella C, Franchi M, Egbor M, Bhide A, Thilaganathan B. Relationship of first-trimester uterine artery Doppler to late stillbirth. *Prenat Diagn.* 2012 Jun;32(6):557-61

Fetal Medicine Unit, Division of Clinical Developmental Sciences, St George's, University of London, London, UK. | [PubMed link](#)

Kamath-Rayne BD, DeFranco EA, Chung E, et al. Subtypes of preterm birth and the risk of postneonatal death. *J Pediatr.* 2013 Jan;162(1):28-34.e2. doi: 10.1016/j.jpeds.2012.06.051. Epub 2012 Aug 9. (Original)

Division of Neonatology and Pulmonary Biology, Cincinnati Children's Hospital Medical Center, Cincinnati, OH, USA | [PubMed link](#)

Kihara, M., Usui, H., Tanaka, H., Inoue, H., Matsui, H., & Shozu, M. (2012). Complicating preeclampsia as a predictor of poor survival of the fetus in complete hydatidiform mole coexistent with twin fetus. *The Journal of Reproductive Medicine, 57*(7-8), 325-328.

Department of Reproductive Medicine, Graduate School of Medicine, Chiba University, Chiba, Japan. | [PubMed link](#)

Lassen, J., Jensen, A. K., Bager, P., Pedersen, C. B., Panum, I., Norgaard-Pedersen, B., . . . Melbye, M. (2012). Parvovirus B19 infection in the first trimester of pregnancy and risk of fetal loss: a population-based case-control study. *American Journal of Epidemiology, 176*(9), 803-807.

Department of Epidemiology Research, Statens Serum Institut, Copenhagen, Denmark. | [PubMed link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Lavezzi, A. M., Weese-Mayer, D. E., Yu, M. Y., Jennings, L. J., Corna, M. F., Casale, V., . . . Maturri, L. (2012). Developmental alterations of the respiratory human retrotrapezoid nucleus in sudden unexplained fetal and infant death. *Autonomic Neuroscience : Basic & Clinical*, 170(1-2), 12-19.

"Lino Rossi" Research Center for the Study and Prevention of Unexpected Perinatal Death and SIDS, Department of Biomedical, Surgical and Dental Sciences, University of Milan, Italy. | [PubMed link](#)

Lisonkova, S., Sabr, Y., Butler, B., & Joseph, K. S. (2012). International comparisons of preterm birth: higher rates of late preterm birth are associated with lower rates of stillbirth and neonatal death. *BJOG : An International Journal of Obstetrics and Gynaecology*, 119(13), 1630-1639.

Department of Obstetrics and Gynaecology, University of British Columbia and the Women's Hospital and Health Centre of British Columbia, Vancouver, BC, Canada. | [PubMed link](#)

Lorch, S. A., Kroelinger, C. D., Ahlberg, C., & Barfield, W. D. (2012). Factors that mediate racial/ethnic disparities in US fetal death rates. *American Journal of Public Health*, 102(10), 1902-1910.

Department of Pediatrics, Children's Hospital of Philadelphia, Pennsylvania, USA. | [PubMed link](#)

Luque-Fernandez, M. A., Lone, N. I., Gutierrez-Garitano, I., & Bueno-Cavanillas, A. (2012). Stillbirth risk by maternal socio-economic status and country of origin: a population-based observational study in Spain, 2007-08. *European Journal of Public Health*, 22(4), 524-529.

Centre for Infectious Disease Epidemiology and Research, University of Cape Town, Cape Town, South Africa | [PubMed link](#)

Malabarey OT, Balayla J, Klam SL, Shrim A, Abenhaim HA. Pregnancies in young adolescent mothers: a population-based study on 37 million births. *J Pediatr Adolesc Gynecol*. 2012 Apr;25(2):98-102. Epub 2011 Nov 16.

Department of Obstetrics and Gynecology, Jewish General Hospital, McGill University, Montreal, Quebec, Canada. | [PubMed link](#)

McIntyre HD, Gibbons KS, Flenady VJ, Callaway LK. Overweight and obesity in Australian mothers: epidemic or endemic? *Med J Aust*. 2012 Feb 20;196(3):184-8.

University of Queensland, Brisbane, QLD, Australia | [PubMed link](#)

McPherson, J. A., Odibo, A. O., Shanks, A. L., Roehl, K. A., Macones, G. A., & Cahill, A. G. (2012). Impact of chorionicity on risk and timing of intrauterine fetal demise in twin pregnancies. *American Journal of Obstetrics and Gynecology*, 207(3), 190.e1-190.e6.

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Department of Obstetrics and Gynecology, Washington University in St. Louis School of
Medicine, St. Louis, MO, USA. | [PubMed link](#)

Monari F, Alberico S, Avagliano L, Cetin I, Cozzolino S, Gargano G, Marozio L, Mecacci F, Neri I, Tranquilli AL, Venturini P, Facchinetti F. Relation between maternal thrombophilia and stillbirth according to causes/associated conditions of death. *Early Hum Dev.* 2012 Apr;88(4):251-4. Epub 2011 Sep 25.

University of Modena and Reggio Emilia, Mother-Infant Dept, Modena, Italy | [PubMed link](#)

Morikawa, M., Yamada, T., Yamada, T., Sato, S., & Minakami, H. (2012). Prospective risk of intrauterine fetal death in monoamniotic twin pregnancies. *Twin Research and Human Genetics : The Official Journal of the International Society for Twin Studies*, 15(4), 522-526.

Department of Obstetrics and Gynecology, Hokkaido University Graduate School of Medicine, Sapporo, Japan | [PubMed link](#).

Ntuli, S. T., & Malangu, N. (2012). An investigation of the stillbirths at a tertiary hospital in Limpopo province of South Africa. *Global Journal of Health Science*, 4(6), 141-147.

School of Public Health, University of Limpopo, Pretoria, South Africa | [PubMed link](#)

O'Leary C, Jacoby P, D'Antoine H, Bartu A, Bower C. Heavy prenatal alcohol exposure and increased risk of stillbirth. *BJOG.* 2012 Jul;119(8):945-52.

Centre for Population Health Research, Curtin Health Information Research Institute, Curtin University, Perth, WA, Australia. | [PubMed link](#)

Oliveira, L. F., da Silva Monteiro, A. P., Espindula, A. P., Morais Pereira, L. H., Rocha, L. P., de Oliveira Guimaraes, C. S., . . . Miranda Correa, R. R. (2012). Liver morphologic analysis in perinatal autopsies with intrauterine stress liver morphology in perinatal autopsies. *Fetal and Pediatric Pathology*, 31(4), 240-247.

Federal University of the Triangulo Mineiro (UFTM), Uberaba, Brazil | [PubMed link](#)

Pasternak B, Svanström H, Mølgaard-Nielsen D, Krause TG, Emborg HD, Melbye M, Hviid A. Vaccination against pandemic A/H1N1 2009 influenza in pregnancy and risk of fetal death: cohort study in Denmark. *BMJ.* 2012 May 2;344:e2794.

Department of Epidemiology Research, Statens Serum Institut, Copenhagen, Denmark. | [PubMed link](#)

Pilliod, R. A., Cheng, Y. W., Snowden, J. M., Doss, A. E., & Caughey, A. B. (2012). The risk of intrauterine fetal death in the small-for-gestational-age fetus. *American Journal of Obstetrics and Gynecology*, 207(4), 318.e1-318.e6.

Department of Obstetrics and Gynecology, Oregon Health and Science University, Portland, OR, USA. | [PubMed link](#)

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Pinar H, Koch MA, Hawkins H, Heim-Hall J, Abramowsky CR, Thorsten VR, Carpenter MW, Zhou HH, Reddy UM; Stillbirth Collaborative Research Network. The stillbirth collaborative research network postmortem examination protocol. *Am J Perinatol.* 2012 Mar;29(3):187-202. Epub 2011 Aug 3.

Division of Perinatal Pathology, Women and Infants Hospital, Brown University, Alpert School of Medicine, Providence, Rhode Island, USA. | [PubMed link](#)

Prins, J. R., Gomez-Lopez, N., & Robertson, S. A. (2012). Interleukin-6 in pregnancy and gestational disorders. *Journal of Reproductive Immunology*, 95(1-2), 1-14.

Research Centre for Reproductive Health, School of Paediatrics and Reproductive Health, University of Adelaide, Adelaide, Australia. | [PubMed link](#)

Ray JG, Urquia ML. Risk of stillbirth at extremes of birth weight between 20 to 41 weeks gestation. *J Perinatol.* 2012 Nov;32(11):829-36. doi: 10.1038/jp.2012.60. Epub 2012 May 17

Departments of Medicine, Health Policy Management and Evaluation, and Obstetrics and gynecology, St Michael's Hospital, University of Toronto, Toronto, Ontario, Canada. | [PubMed link](#)

Reddy UM, Page GP, Saade GR. The role of DNA microarrays in the evaluation of fetal death. *Prenat Diagn.* 2012 Apr;32(4):371-5

The Eunice Kennedy Shriver National Institute of Child Health and Human Development, National Institutes of Health, Bethesda, MD, USA. | [PubMed link](#)

Reddy, U. M., Page, G. P., Saade, G. R., Silver, R. M., Thorsten, V. R., Parker, C. B., . . . NICHD Stillbirth Collaborative Research Network. (2012). Karyotype versus microarray testing for genetic abnormalities after stillbirth. *The New England Journal of Medicine*, 367(23), 2185-2193.

Pregnancy and Perinatology Branch, the Eunice Kennedy Shriver National Institute of Child Health and Human Development (NICHD), National Institutes of Health, Bethesda, MD, USA. | [PubMed link](#)

Rom AL, Mortensen LH, Cnattingius S, Arntzen A, Gissler M, Andersen AM. A comparative study of educational inequality in the risk of stillbirth in Denmark, Finland, Norway and Sweden 1981-2000. *J Epidemiol Community Health.* 2012 Mar;66(3):240-6. Epub 2010 Oct 5.

National Institute of Public Health, University of Southern Denmark, Copenhagen, Denmark. | [PubMed link](#)

Rosenstein, M. G., Cheng, Y. W., Snowden, J. M., Nicholson, J. M., & Caughey, A. B. (2012). Risk of stillbirth and infant death stratified by gestational age. *Obstetrics and Gynecology*, 120(1), 76-82.

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Department of Obstetrics, Gynecology and Reproductive Sciences, University of California, San Francisco, CA, USA. | [PubMed link](#)

Ryan, W. D., Trivedi, N., Benirschke, K., Lacoursiere, D. Y., & Parast, M. M. (2012). Placental histologic criteria for diagnosis of cord accident: sensitivity and specificity. *Pediatric and Developmental Pathology : The Official Journal of the Society for Pediatric Pathology and the Paediatric Pathology Society*, 15(4), 275-280

Department of Pathology, University of California San Diego, La Jolla, CA, USA. | [PubMed link](#)

Said JM, Tsui R, Borg AJ, Higgins JR, Moses EK, Walker SP, Monagle PT, Brennecke SP. The PAI-1 4G/5G polymorphism is not associated with an increased risk of adverse pregnancy outcome in asymptomatic nulliparous women. *J Thromb Haemost*. 2012 May;10(5):881-6

Department of Perinatal Medicine, The Royal Women's Hospital, Parkville, Australia. | [PubMed link](#)

Schroeder E, Petrou S, Patel N, Hollowell J, Puddicombe D, Redshaw M, et al. Cost effectiveness of alternative planned places of birth in woman at low risk of complications: evidence from the Birthplace in England national prospective cohort study. *BMJ*2012;344:e2292. (19 April).

National Perinatal Epidemiology Unit, Department of Public Health, University of Oxford, Oxford, UK | [Full text](#)

Schuit E, Hukkelhoven CW, Manktelow BN, Papatsonis DN, de Kleine MJ, Draper ES, Steyerberg EW, Vergouwe Y. Prognostic models for stillbirth and neonatal death in very preterm birth: a validation study. *Pediatrics*. 2012 Jan;129(1):e120-7.

Centre for Medical Decision Sciences, Department of Public Health, Erasmus MC, Rotterdam, The Netherlands | [PubMed link](#)

Sheffield JS, Greer LG, Rogers VL, Roberts SW, Lytle H, McIntire DD, Wendel GD Jr. (2012). Effect of influenza vaccination in the first trimester of pregnancy. *Obstet Gynecol. Sep*;120(3):532-7

University of Texas Southwestern Medical Center and Parkland Health & Hospital System, Dallas, Texas, USA. | [Pubmed link](#)

Singh T, Leslie K, Bhide A, D'Antonio F, Thilaganathan B. Role of second-trimester uterine artery Doppler in assessing stillbirth risk. *Obstet Gynecol*. 2012 Feb;119(2 Pt 1):256-61.

Fetal Medicine Unit, Academic Department of Obstetrics and Gynecology, St. George's Hospital Medical School, London, United Kingdom | [PubMed link](#)

Srinivasjois, R. M., Shah, S., Shah, P. S., & Knowledge Synthesis Group on Determinants Of Preterm/LBW Births. (2012). Biracial couples and adverse birth outcomes: a systematic review and meta-analyses. *Acta Obstetrica Et Gynecologica Scandinavica*, 91(10), 1134-1146.

Department of Neonatology and Paediatrics, Joondalup Health Campus, and Joondalup Child Development Centre, University of Western Australia, Perth, Australia. | [PubMed link](#)

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Stacey T, Thompson JM, Mitchell EA, Zuccollo JM, Ekeroma AJ, McCowan LM. Antenatal care, identification of suboptimal fetal growth and risk of late stillbirth: findings from the Auckland Stillbirth Study. *Aust N Z J Obstet Gynaecol.* 2012 Jun;52(3):242-7. Epub 2012 Jan 25.

Department of Obstetrics and Gynaecology, University of Auckland, Grafton, Auckland, New Zealand. | [PubMed link](#)

Tong Leung, V. K., Suen, S. S., Singh Sahota, D., Lau, T. K., & Yeung Leung, T. (2012). External cephalic version does not increase the risk of intra-uterine death: a 17-year experience and literature review. *The Journal of Maternal-Fetal & Neonatal Medicine : The Official Journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*, 25(9), 1774-1778.

Department of Obstetrics and Gynaecology, Prince of Wales Hospital, The Chinese University of Hong Kong, Hong Kong SAR | [PubMed link](#)

Tudehope D, Papadimos E, Gibbons K. (2012). Twelve-year review of neonatal deaths in the delivery room in a perinatal tertiary centre. *Journal of Paediatrics and Child Health* 49(1), E40–E45, January, 2013. Online 2 Dec 2012

School of Medicine, University of Queensland, Australia | [PubMed link](#)

Tyler, C. P., Grady, S. C., Grigorescu, V., Luke, B., Todem, D., & Paneth, N. (2012). Impact of fetal death reporting requirements on early neonatal and fetal mortality rates and racial disparities. *Public Health Reports (Washington, D.C.: 1974)*, 127(5), 507-515.

Michigan State University, Department of Epidemiology, East Lansing, MI, USA | [PubMed link](#)

Vais A, Kean L. Stillbirth – is it a preventable public health problem in the 21st century? *Obstetrics, Gynaecology and Reproductive Medicine* Volume 22, Issue 5, Pages 129-134, May 2012

St. Thomas' Hospital, Guy's & St. Thomas' NHS Foundation Trust, London | [PubMed link](#)

Wingate, M. S., Barfield, W. D., Petrini, J., & Smith, R. (2012). Disparities in fetal death and first day death: the influence of risk factors in 2 time periods. *American Journal of Public Health*, 102(8), e68-73.

Department of Health Care Organization and Policy, University of Alabama at Birmingham, Birmingham, AL, USA | [PubMed link](#)

Yenieli, A. O., Ergenoglu, A. M., Itil, I. M., Askar, N., & Meseri, R. (2012). Effect of placenta previa on fetal growth restriction and stillbirth. *Archives of Gynecology and Obstetrics*, 286(2), 295-298.

Department of Obstetrics and Gynecology, Faculty of Medicine, Ege University, Bornova, Izmir, Turkey | [PubMed link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

SUDI RESEARCH 2012

Altman M, Edstedt Bonamy AK, Wikström AK, Cnattingius S. Cause-specific infant mortality in a population-based Swedish study of term and post-term births: the contribution of gestational age and birth weight. *BMJ Open*. 2012 Jul 4;2(4). pii: e001152.

Department of Medicine Solna, Clinical Epidemiological Unit, T2 Karolinska Institutet, Stockholm, Sweden | [PubMed link](#)

Baccini, G., Mlinar, B., Audero, E., Gross, C. T., & Corradetti, R. (2012). Impaired chemosensitivity of mouse dorsal raphe serotonergic neurons overexpressing serotonin 1A (Htr1a) receptors. *PLoS One*, 7(9), e45072.

Department of Preclinical and Clinical Pharmacology "Mario Aiazzi-Mancini" University of Florence, Florence, Italy | [PubMed link](#)

Becher JC, Bhushan SS, Lyon AJ. Unexpected collapse in apparently healthy newborns--a prospective national study of a missing cohort of neonatal deaths and near-death events. *Arch Dis Child Fetal Neonatal Ed*. 2012 Jan;97(1):F30-4

Department of Neonatology, Simpson Centre for Reproductive Health, Royal Infirmary of Edinburgh, Little France Crescent, Edinburgh, UK. | [PubMed link](#)

Behm I , Kabir Z, Connolly GN, Alpert HR. Increasing prevalence of smoke-free homes and decreasing rates of sudden infant death syndrome in the United States: an ecological association study. *Tob Control*. 2012 Jan;21(1):6-11.

Center for Global Tobacco Control, Department of Society, Human Development, and Health, Harvard School of Public Health, Boston, MA, USA. | [PubMed link](#)

Bejjani, C., Machaalani, R., & Waters, K. A. (2013). The dorsal motor nucleus of the vagus (DMNV) in sudden infant death syndrome (SIDS): pathways leading to apoptosis. *Respiratory Physiology & Neurobiology*, 185(2), 203-210.

Sydney Medical Program, University of Sydney, NSW, Australia. | [PubMed link](#)

Beuchee, A., Hernandez, A. I., Duvareille, C., Daniel, D., Samson, N., Pladys, P., & Praud, J. P. (2012). Influence of hypoxia and hypercapnia on sleep state-dependent heart rate variability behavior in newborn lambs. *Sleep*, 35(11), 1541-1549.

INSERM, U1099, Rennes, F-35000, France | [PubMed link](#) .

Brion M, Allegue C, Santori M, Gil R, Blanco-Verea A, Haas C, Bartsch C, Poster S, Madea B, Campuzano O, Brugada R, Carracedo A. Sarcomeric gene mutations in sudden infant death syndrome (SIDS). *Forensic Sci Int*. 2012 Jun 10;219(1-3):278-81

Genetics of Cardiovascular and Ophthalmologic Diseases, Hospital-University Complex of Santiago (CHUS), Santiago de Compostela, Spain | [PubMed link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Broussard DL, Sappenfield WM, Goodman DA. The Black and White of infant back sleeping and infant bed sharing in Florida,2004-2005. *Matern Child Health J.* 2012 Apr;16(3):713-24.

Maternal and Child Health Practice and Analysis Unit, Bureau of Family and Community Health, Division of Family Health Services, Florida Department of Health, Tallahassee, FL, USA. | [PubMed link](#)

Byard RW, Lee V. A re-audit of the use of definitions of sudden infant death syndrome (SIDS) in peer-reviewed literature. *J Forensic Leg Med.* 2012 Nov;19(8):455-6.

Discipline of Anatomy and Pathology, The University of Adelaide, Forensic Science SA, Adelaide, SA, Australia. | [PubMed link](#)

Camperlengo, L. T., Shapiro-Mendoza, C. K., & Kim, S. Y. (2012). Sudden infant death syndrome: diagnostic practices and investigative policies, 2004. *The American Journal of Forensic Medicine and Pathology*, 33(3), 197-201.

Maternal and Infant Health Branch, Division of Reproductive Health, Centers for Disease Control and Prevention, Atlanta, GA, USA |. [PubMed link](#)

Chan, R. S., McPherson, B., & Zhang, V. W. (2012). Neonatal otoacoustic emission screening and sudden infant death syndrome. *International Journal of Pediatric Otorhinolaryngology*, 76(10), 1485-1489.

Centre for Communication Disorders, Faculty of Education, University of Hong Kong, Hong Kong, China. | [PubMed link](#)

Chang, H. P., Li, C. Y., Chang, Y. H., Hwang, S. L., Su, Y. H., & Chen, C. W. (2012). Sociodemographic and meteorological correlates of sudden infant death in Taiwan. *Pediatrics International : Official Journal of the Japan Pediatric Society*,

Department of Nursing, Chung Shan Medical University Hospital, Taichung; Institute of Medicine, Chung Shan Medical University, Taichung. | [PubMed link](#)

Chiu M, Elder D, Zuccollo J. Gliosis in neonatal SUDI cases. *Acta Paediatr.* 2012 Jan;101(1):30-3

Medical Student, University of Otago, Wellington, New Zealand. | [PubMed link](#)

Collins, S. A., Surmala, P., Osborne, G., Greenberg, C., Bathory, L. W., Edmunds-Potvin, S., & Arbour, L. (2012). Causes and risk factors for infant mortality in Nunavut, Canada 1999-2011. *BMC Pediatrics*, 12, 190-2431-12-190.

Department of Medical Genetics, University of British Columbia Island Medical Program, University of Victoria, Victoria, BC, Canada. | [PubMed link](#)

Cummings, K. J., Commons, K. G., Trachtenberg, F. L., Li, A., Kinney, H. C., & Nattie, E. E. (2013). Caffeine improves the ability of serotonin-deficient (Pet-1(-/-)) mice to survive episodic asphyxia. *Pediatric Research*, 73(1), 38-45.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Department of Biomedical Sciences, College of Veterinary Medicine, University of
Missouri, Columbia, Missouri | [PubMed link](#)

Darnall RA. The carotid body and arousal in the fetus and neonate. *Respir Physiol Neurobiol.*
2012
Jun 8. [Epub ahead of print]

Dartmouth-Hitchcock Medical Center, Lebanon, NH, United States | [PubMed link](#)

Darrah, J., & Bartlett, D. J. (2012). Infant rolling abilities - the same or different 20years after
the back to sleep campaign? *Early Human Development,*
Department of Physical Therapy, Faculty of Rehabilitation Medicine, University of Alberta,
Edmonton, AB, Canada | [PubMed link](#)

**Deasy, C., Hall, D., Bray, J. E., Smith, K., Bernard, S. A., Cameron, P., & on behalf of the
VACAR Steering Committee.** (2012). Paediatric out-of-hospital cardiac arrests in
Melbourne, Australia: improved reporting by adding coronial data to a cardiac arrest
registry. *Emergency Medicine Journal : EMJ,*
Ambulance Victoria, Melbourne, Victoria, Australia. | [PubMed link](#)

Doshi A., Stucky ER. ALTE and Sudden Infant Death Syndrome in Elzouki, A.Y., Harfi, H.A.,
Nazer, H., Oh, W., Stapleton, F.B., Whitley, R.J. *Textbook of Clinical Pediatrics* 2nd edn (2012):
2215-2220

Division of Hospital Medicine, Department of Pediatrics, University of California San
Diego, Rady Children's Hospital, San Diego, CA, USA

Eagle K. Hypothesis: holiday sudden cardiac death: food and alcohol inhibition of SULT1A
enzymes as a precipitant. *J Appl Toxicol.* 2012 Oct;32(10):751-5.

Katy, TX, USA | [PubMed link](#)

Elliott JA, Vink R, Jensen L, Byard RW. Brain weight-body weight ratio in sudden infant death
syndrome revisited. *Med Sci Law.* 2012 May 22. [Epub ahead of print]

Discipline of Anatomy and Pathology, The University of Adelaide, SA, Australia. | [PubMed
link](#)

Ferrante, L., Opdal, S. H., Vege, A., & Rognum, T. O. (2013). Is there any correlation between
HLA-DR expression in laryngeal mucosa and interleukin gene variation in sudden infant
death syndrome? *Acta Paediatrica (Oslo, Norway : 1992),* 102(3), 308-313. Epub 2012
Dec 27

Department of Forensic Pathology and clinical Forensic Medicine, Norwegian Institute of
Public Health, Oslo, Norway |. [PubMed link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Fetherston, C. M., & Leach, J. S. (2012). Analysis of the ethical issues in the breastfeeding and bedsharing debate. *Breastfeeding Review : Professional Publication of the Nursing Mothers' Association of Australia*, 20(3), 7-17.

School of Nursing and Midwifery, Murdoch University, Education Drive, Mandurah 6210, Western Australia. | [PubMed link](#)

Filonzi L, Magnani C, Nosetti L, Nespoli L, Borghi C, Vaghi M, Nonnis Marzano F. Serotonin transporter role in identifying similarities between SIDS and idiopathic ALTE. *Pediatrics*. 2012 Jul;130(1):e138-44.

Department of Evolutionary and Functional Biology, University of Parma, Parma, Italy. | [PubMed link](#)

Fu, L. Y., & Moon, R. Y. (2012). Apparent life-threatening events: an update. *Pediatrics in Review / American Academy of Pediatrics*, 33(8), 361-8; quiz 368-9.

Division of General Pediatrics and Community Health, Goldberg Center for Community Pediatric Health, Children's National Medical Center; George Washington University School of Medicine and Health Sciences, Washington, DC, USA. | [PubMed link](#)

Galland, B. C., Mitchell, E. A., Thompson, J. M., Wouldes, T., & the NZ IDEAL Study Group.

(2012). Auditory evoked arousal responses of 3-month-old infants exposed to methamphetamine in utero: a nap study. *Acta Paediatrica (Oslo, Norway : 1992)*, .

Department of Paediatrics, University of Auckland, New Zealand; Department of Women's & Children's Health, University of Otago, New Zealand | [PubMed link](#)

Gilbert NL, Fell DB, Joseph KS, Liu S, León JA, Sauve R; Fetal and Infant Health Study Group of the Canadian Perinatal Surveillance System. Temporal trends in sudden infant death syndrome in Canada from 1991 to 2005: contribution of changes in cause of death assignment practices and in maternal and infant characteristics. *Paediatr Perinat Epidemiol*. 2012 Mar;26(2):124-30.

Maternal and Infant Health Section, Public Health Agency of Canada, Ottawa, Canada. | [PubMed link](#)

Giménez C, Pérez-Siles G, Martínez-Villarreal J, et al. A novel dominant hyperekplexia mutation Y705C alters trafficking and biochemical properties of the presynaptic glycine transporter GlyT2. *J Biol Chem*. 2012 Aug 17;287(34):28986-9002

Departamento de Biología Molecular and Centro de Biología Molecular Severo Ochoa, (Consejo Superior de Investigaciones Científicas-Universidad Autónoma de Madrid), Madrid, Spain. | [PubMed link](#)

Giudicessi JR, Ye D, Kritzberger CJ, Nesterenko VV, Tester DJ, Antzelevitch C, Ackerman MJ. Novel mutations in the KCND3-encoded Kv4.3 K⁺ channel associated with autopsy-negative sudden unexplained death. *Hum Mutat*. 2012 Jun;33(6):989-97.

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Division of Cardiovascular Diseases, Department of Medicine, Windland Smith Rice Sudden Death Genomics Laboratory, Mayo Clinic, Rochester, MN, USA. | [PubMed link](#)

Hightet, A. R., & Goldwater, P. N. (2012). Maternal and perinatal risk factors for SIDS: a novel analysis utilizing pregnancy outcome data. *European Journal of Pediatrics*

. Department of Microbiology and Infectious Diseases, SA Pathology at the Women's and Children's Hospital and Discipline of Paediatrics, University of Adelaide, North Adelaide, Adelaide, South Australia, Australia | [PubMed link](#)

Hoppenbrouwers T, Oliveira F, Sandarupa S, Khoo M, Neuman M, Ramanathan R. The development of the circadian heart rate rhythm (CHR) in Asian infants. *Early Hum Dev.* 2012 Jul;88(7):555-61

University of Southern California Division of Neonatal Medicine, LAC+USC Medical Center and Childrens Hospital Los Angeles, CA, USA. | [PubMed link](#)

Hu D, Barajas-Martínez H, Medeiros-Domingo A, Crotti L, et al. A novel rare variant in SCN1Bb linked to Brugada syndrome and SIDS by combined modulation of Na(v)1.5 and K(v)4.3 channel currents. *Heart Rhythm.* 2012 May;9(5):760-9.

Masonic Medical Research Laboratory, Utica, NY, USA | [PubMed link](#)

Keeler AM, Flotte TR. Cell and gene therapy for genetic diseases: inherited disorders affecting the lung and those mimicking sudden infant death syndrome. *Hum Gene Ther.* 2012 Jun;23(6):548-56.

Gene Therapy Center and Department of Pediatrics, University of Massachusetts Medical School, Worcester, MA, USA. | [PubMed link](#)

Kemp, J.S., Sucre, J.M. & Thach, B.T. (2012). 76: Sudden Infant Death Syndrome and Apparent Life-Threatening Events. In Kendig, Edwin L. & Wilmott, R.W. (Eds.), *Kendig and Chernick's Disorders of the Respiratory Tract in Children* (8th ed.). (pp. 1046-1066). Philadelphia, PA: Elsevier/Saunders

Kernbach-Wighton G, Albaloooshi Y, Madea B. The evidential value of intra-alveolar haemosiderin-macrophages in cases of sudden infant death syndrome (SIDS). *Forensic Sci Int.* 2012 Oct 10;222(1-3):27-32.

Institute of Legal Medicine, The University of Bonn, Bonn, Germany | [PubMed link](#)

Kim SY, Shapiro-Mendoza CK, Chu SY, Camperlengo LT, Anderson RN. Differentiating cause-of-death terminology for deaths coded as sudden infant death syndrome, accidental suffocation, and unknown cause: an investigation using US death certificates, 2003-2004. *J Forensic Sci.* 2012 Mar;57(2):364-9

Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Reproductive Health, Atlanta, GA, USA. | [PubMed link](#)

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Klintschar M, Heimbold C. Association between a functional polymorphism in the MAOA gene and sudden infant death syndrome. *Pediatrics*. 2012 Mar;129(3):e756-61.

Institute of Legal Medicine, Medical University Hannover, Hannover, Germany | [PubMed](#)

Klintschar, M., & Heimbold, C. (2012). No association of SIDS with two polymorphisms in genes relevant for the noradrenergic system: COMT and DBH. *Acta Paediatrica (Oslo, Norway : 1992)*, 101(10), 1079-1082.

Institute of Legal Medicine, Medical University Hannover, Carl-Neuberg-Strasse 1, Hannover, Germany | [PubMed link](#)

Kuhnert R, Schlaud M, Poethko-Müller C, Vennemann M, Fleming P, Blair PS, Mitchell E, Thompson J, Hecker H. Reanalyses of case-control studies examining the temporal association between sudden infant death syndrome and vaccination. *Vaccine*. 2012 Mar 16;30(13):2349-56.

Robert Koch-Institute, Division for Health of Children and Adolescents, Prevention Concepts, Berlin, Germany. | [PubMed link](#)

Larsen MK, Berge KE, Leren TP, Nissen PH, Hansen J, Kristensen IB, Banner J, Jensen HK. Postmortem genetic testing of the ryanodine receptor 2 (RYR2) gene in a cohort of sudden unexplained death cases. *Int J Legal Med*. 2012 Jan 6. [Epub ahead of print]

Department of Forensic Medicine, Faculty of Health Sciences, Aarhus University, Denmark. | [PubMed link](#)

Lavezzi, A. M., & Maturri, L. (2012). Neuroanatomical dysmorphology of the medial superior olivary nucleus in sudden fetal and infant death. *Frontiers in Human Neuroscience*, 6, 322.

Department of Biomedical, Surgical and Dental Sciences, "Lino Rossi" Research Center for the Study and Prevention of Unexpected Perinatal Death and SIDS, University of Milan Milan, Italy | [PubMed link](#)

Lavezzi, A. M., Weese-Mayer, D. E., Yu, M. Y., Jennings, L. J., Corna, M. F., Casale, V., . . . Maturri, L. (2012). Developmental alterations of the respiratory human retrotrapezoid nucleus in sudden unexplained fetal and infant death. *Autonomic Neuroscience : Basic & Clinical*, 170(1-2), 12-19.

"Lino Rossi" Research Center for the Study and Prevention of Unexpected Perinatal Death and SIDS, Department of Biomedical, Surgical and Dental Sciences, University of Milan, Italy | [Pubmed link](#)

Lisonkova S, Hutcheon JA, Joseph KS. Sudden infant death syndrome: a re-examination of temporal trends. *BMC Pregnancy Childbirth*. 2012 Jun 29;12:59

Department of Obstetrics & Gynaecology, University of British Columbia and the Women's Hospital and Health Centre of British Columbia, Vancouver, BC, Canada. | [PubMed](#)

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Lister G, Rybin DV, Colton T, Heeren TC, Hunt CE, Colson ER, Willinger M, Corwin MJ;
Collaborative Home Infant Monitoring Evaluation Study Group. Relationship between sleep position and risk of extreme cardiorespiratory events. *J Pediatr*. 2012 Jul;161(1):22-5.e1.

Department of Pediatrics, UTSW Medical School, Dallas, TX, USA. | [PubMed link](#)

Marom T, Cinamon U, Castellanos PF, Cohen MC. Otolaryngological aspects of sudden infant death syndrome. *Int J Pediatr Otorhinolaryngol*. 2012 Mar;76(3):311-8.

Department of Otolaryngology - Head & Neck Surgery, Edith Wolfson Medical Center, Tel Aviv University Sackler School of Medicine, Holon, Israel. | [PubMed link](#)

McDonnell-Naughton M, McGarvey C, O'Regan M, Matthews T. Maternal smoking and alcohol consumption during pregnancy as risk factors for sudden infant death. *Ir Med J*. 2012 Apr;105(4):105-8.

Department of Nursing and Health Science, Athlone Institute of Technology, Co Westmeath, Ireland | [PubMed link](#)

McGarvey CM, O'Regan M, Cryan J, Treacy A, Hamilton K, Devaney D, Matthews T. Sudden unexplained death in childhood (1-4 years) in Ireland: an epidemiological profile and comparison with SIDS. *Arch Dis Child*. 2012 Aug;97(8):692-7.

National Paediatric Mortality Register, Children's University Hospital, Dublin, Ireland. | [PubMed link](#)

Mitchell, E. A., & Blair, P. S. (2012). SIDS prevention: 3000 lives saved but we can do better. *The New Zealand Medical Journal*, 125(1359), 50-57.

Department of Paediatrics, University of Auckland, Private Bag 92019, Auckland, New Zealand.
[PubMed link](#) | [Full text link](#)

Morris JA, Harrison LM, Telford DR. Postmortem cerebrospinal fluid pleocytosis: a marker of inflammation or postmortem artifact? *Int J Pediatr*. 2012;2012:964074. Epub 2012 Feb 27.

University Hospitals of Morecambe Bay NHS Foundation Trust, Royal Lancaster Infirmary, Lancaster, UK | [PubMed link](#)

Neary, M. T., Mohun, T. J., & Breckenridge, R. A. (2012). A mouse model to study the link between hypoxia, long QT interval and sudden infant death syndrome. *Disease Models & Mechanisms*, MRC NIMR, London, UK. | [PubMed link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Neri, M., Othman, S. M., Cantatore, S., De Carlo, D., Pomara, C., Riezzo, I., . . . Fineschi, V. (2012). Sudden infant death in an 8-month-old baby with dengue virus infection: searching for virus in postmortem tissues by immunohistochemistry and Western blotting. *The Pediatric Infectious Disease Journal*, 31(8), 878-880.
Department of Forensic Pathology, University of Foggia, Ospedale Colonnello D'Avanzo, Foggia, Italy. [[pubmed link](#)]

Niblock MM, Lohr KM, Nixon M, Barnes C, Schaudies M, Murphy M. Cells in the female retrotrapezoid region upregulate c-fos in response to 10%, but not 5%, carbon dioxide. *Brain Res.* 2012 Jan 18;1433:62-8.

Biology Department, Dickinson College, Carlisle, PA, USA | [PubMed link](#)

Poets CF. Apnea of Prematurity and Sudden Infant Death Syndrome. In Buonocore, Giuseppe; Bracci, Rodolfo; Weindling, Michael (Eds.). *Neonatology: A Practical Approach to Neonatal Diseases* 543-549

Department of Neonatology, Tuebingen University Hospital, Tuebingen, Germany. | [PubMed link](#)

Poets, A., Urschitz, M. S., Steinfeldt, R., & Poets, C. F. (2012). Risk factors for early sudden deaths and severe apparent life-threatening events. *Archives of Disease in Childhood.Fetal and Neonatal Edition*, 97(6), F395-7.

Department of Neonatology, Tuebingen University Hospital, Tuebingen, Germany. | [PubMed link](#)

Porzionato A, Macchi V, Stecco C, De Caro R. The carotid body in Sudden Infant Death Syndrome. *Respir Physiol Neurobiol.* 2012 May 18. [Epub ahead of print]

Section of Anatomy, Department of Molecular Medicine, University of Padova, Italy | [PubMed link](#)

Prodhomme O, Fabienne Seguret, Laurent Martrille, Odile Pidoux, Gilles Cambonie, Alain Couture, Caroline Rouleau. Organ volume measurements: comparison between MRI and autopsy findings in infants following sudden unexpected death. *Arch. Dis. Child. Fetal Neonatal Ed.* published 23 March 2012

Lausanne University Hospital, Institute of Pathology, Lausanne, Switzerland | [PubMed link](#)

Pryce JW, Weber MA, Heales S, Krywawych S, Ashworth MT, Klein NJ, Sebire NJ. Postmortem tandem mass spectrometry profiling for detection of infection in unexpected infant death. *Forensic Sci Med Pathol.* 2012 Sep;8(3):252-8.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Departments of Paediatric Pathology, Great Ormond Street Hospital for Children,
London, UK. | [Pubmed link](#)

Randall B, Kent Donelan, Mark Koponen, Mary Ann Sens & Henry F. Krous. Application of a classification system focusing on potential asphyxia for cases of sudden unexpected infant death. *Forensic Science, Medicine, and Pathology* 2012. 8(1):34-9

| [PubMed link](#)

Robida, D., & Moon, R. Y. (2012). Factors influencing infant sleep position: decisions do not differ by SES in African-American families. *Archives of Disease in Childhood*, 97(10), 900-905.

Children's National Medical Center, Washington, DC, USA | [PubMed link](#)

Rodriguez, M. L., McMillan, K., Crandall, L. A., Minter, M. E., Grafe, M. R., Poduri, A., & Kinney, H. C. (2012). Hippocampal asymmetry and sudden unexpected death in infancy: a case report. *Forensic Science, Medicine, and Pathology*, 8(4), 441-446.

Department of Forensic Medicine, Sydney Local Health District, Glebe, NSW, Australia.
| [PubMed link](#)

Rowley DL, Hogan V. Disparities in infant mortality and effective, equitable care: are infants suffering from benign neglect? *Annu Rev Public Health*. 2012 Apr;33:75-87.

Department of Maternal and Child Health, Gillings School of Global Public Health,
University of North Carolina, Chapel Hill, North Carolina, USA. | [PubMed link](#)

Schnitzer PG, Covington TM, Dykstra HK. Sudden unexpected infant deaths: sleep environment and circumstances. *Am J Public Health*. 2012 Jun;102(6):1204-12.

Sinclair School of Nursing, University of Missouri, Columbia. USA | [PubMed link](#)

Shapiro-Mendoza CK, Camperlengo LT, Kim SY, Covington T. The sudden unexpected infant death case registry: a method to improve surveillance. *Pediatrics*. 2012 Feb;129(2):e486-93.

Division of Reproductive Health, National Center for Chronic Disease Prevention and Health Promotion, Centers for Disease Control and Prevention, Atlanta, GA, USA. | [PubMed link](#)

Sinclair, G. B., Collins, S., Popescu, O., McFadden, D., Arbour, L., & Vallance, H. D. (2012). Carnitine palmitoyltransferase I and sudden unexpected infant death in British Columbia First Nations. *Pediatrics*, 130(5), e1162-9.

Departments of Pathology and Laboratory Medicine, University of British Columbia, Vancouver, British Columbia. | [PubMed link](#)

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Smith MG, Liu JH, Helms KH, Wilkerson KL. Racial differences in trends and predictors of infant sleep positioning in South Carolina, 1996-2007. *Matern Child Health J.* 2012 Jan;16(1):72-82.

Office of Public Health Statistics and Information Systems, South Carolina Department of Health and Environmental Control, Columbia, SC, USA | [PubMed link](#)

Tomori, Z., Donic, V., Benacka, R., Gresova, S., Peregrim, I., Kundrik, M., . . . Jakus, J. (2012). Reversal of functional disorders by aspiration, expiration, and cough reflexes and their voluntary counterparts. *Frontiers in Physiology*, 3, 467.

Department of Human Physiology, Faculty of Medicine, University of PJ Safarik Kosice, Slovakia. | [PubMed link](#)

Trachtenberg FL, Haas EA, Kinney HC, Stanley C, Krous HF. Risk factor changes for sudden infant death syndrome after initiation of Back-to-Sleep campaign. *Pediatrics.* 2012 Apr;129(4):630-8.

New England Research Institutes, Watertown, Massachusetts, USA. | [PubMed link](#)

Tracy, E. E., Haas, S., & Lauria, M. R. (2012). Newborn care and safety: the black box of obstetric practices and residency training. *Obstetrics and Gynecology*, 120(3), 643-646.

Massachusetts General Hospital, Vincent Obstetrics and Gynecology, Harvard Vanguard Medical Associates/Atrius Health, and Brigham and Women's Hospital, Boston, Massachusetts, USA. | [PubMed link](#)

Tsao PC, Chang FY, Chen SJ, Soong WJ, Jeng MJ, Lee YS, Yen HJ, Yang CF, Tang RB. Sudden and unexpected and near death during the early neonatal period: a multicenter study. *J Chin Med Assoc.* 2012 Feb;75(2):65-9.

Institute of Emergency and Critical Care Medicine and Department of Pediatrics, National Yang-Ming University School of Medicine, Taipei, Taiwan, ROC | [PubMed link](#)

Vennemann MM, Hense HW, Bajanowski T, Blair PS, Complojer C, Moon RY, Kiechl-Kohlendorfer U. Bed sharing and the risk of sudden infant death syndrome: can we resolve the debate? *J Pediatr.* 2012 Jan;160(1):44-8.e2.

Institute of Legal Medicine, University of Münster, Münster, Germany. | [PubMed link](#)

Widdows K, O'Malley A, O'Neill B, Kingdom J, Gillan J, Ansari T. Altered placental development in pregnancies resulting in sudden infant death syndrome (SIDS). *Early Hum Dev.* 2012 Oct;88(10):805-11.

Department of Surgical Research, Northwick Park Institute for Medical Research, Harrow, UK | [PubMed link](#)

Wilders, R. (2012). Cardiac ion channelopathies and the sudden infant death syndrome. *ISRN Cardiology*, 2012, 846171.

Department of Anatomy, Embryology and Physiology, Heart Failure Research Center, Academic Medical Center, University of Amsterdam, The Netherlands | [PubMed link](#)

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Witcombe NB, Yiallourou SR, Sands SA, Walker AM, Horne RS. Preterm birth alters the maturation of baroreflex sensitivity in sleeping infants. *Pediatrics*. 2012 Jan;129(1):e89-96.

The Ritchie Centre, Monash Institute of Medical Research, Monash University, Melbourne, Victoria, Australia. | [PubMed link](#)

Wood AM, Pasupathy D, Pell JP, Fleming M, Smith GC. Trends in socioeconomic inequalities in risk of sudden infant death syndrome, other causes of infant mortality, and stillbirth in Scotland: population based study. *BMJ*. 2012 Mar 16;344:e1552

Department of Public Health and Primary Care, University of Cambridge, Cambridge, UK. | [PubMed link](#)

Yamamoto T, Emoto Y, Murayama K, Tanaka H, Kuriu Y, Ohtake A, Matoba R. Metabolic autopsy with postmortem cultured fibroblasts in sudden unexpected death in infancy: diagnosis of mitochondrial respiratory chain disorders. *Mol Genet Metab*. 2012 Aug;106(4):474-7

Department of Legal Medicine, Osaka University Graduate School of Medicine, Osaka, Japan. | [PubMed link](#)

Yiallourou SR, Sands SA, Walker AM, Horne RS. Maturation of heart rate and blood pressure variability during sleep in term-born infants. *Sleep*. 2012 Feb 1;35(2):177-86.

The Ritchie Centre, Monash Institute of Medical Research, Monash University, Melbourne, Victoria, Australia. | [PubMed link](#)

Yiallourou, S. R., Witcombe, N. B., Sands, S. A., Walker, A. M., & Horne, R. S. (2012). The development of autonomic cardiovascular control is altered by preterm birth. *Early Human Development*,

The Ritchie Centre, Monash Institute of Medical Research, Monash University, Melbourne, Victoria, Australia | [PubMed link](#)

Young J, Watson K, Ellis L Raven L. Responding to evidence: breastfeed baby if you can--the sixth public health recommendation to reduce the risk of sudden and unexpected death in infancy. *Breastfeed Rev*. 2012 Mar;20(1):7-15.

Nursing Research Unit, Royal Children's Hospital, Brisbane, QLD, Australia. | [PubMed link](#)

Zhang, K., & Wang, X. (2012). Maternal smoking and increased risk of sudden infant death syndrome: A meta-analysis. *Legal Medicine (Tokyo, Japan)*,

Department of Forensic Medicine, Zun Yi Medical College, Zun Yi, PR China | [PubMed link](#)

ACCIDENTAL DEATH RESEARCH 2012

Armour-Marshall J, Wolfe I, Richardson E, Karanikolos M, McKee M. Childhood deaths from injuries: trends and inequalities in Europe. *Eur J Public Health*. 2012 Feb;22(1):61-5

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Whittington Hospital, Magdala Avenue, London, UK. [PubMed link](#)

Blecker N, Rhee P, Judkins DG, Wynne JL, Friese RS, Kulvatunyou N, Latifi R, O'Keeffe T. Pediatric all-terrain vehicle trauma: the epidemic continues unabated. *Pediatr Emerg Care.* 2012 May;28(5):443-7.

Division of Trauma, Department of Surgery, University of Arizona College of Medicine, Tucson, AZ, USA. [PubMed link](#)

Bowman SM, Aitken ME, Robbins JM, Baker SP. Trends in US pediatric drowning hospitalizations, 1993-2008. *Pediatrics.* 2012 Feb;129(2):275-81. Epub 2012 Jan 16.

Center for Injury Research and Policy, Department of Health Policy and Management, Johns Hopkins Bloomberg School of Public Health, Baltimore, MD, USA. [PubMed link](#)

Centers for Disease Control and Prevention (CDC). Drowning--United States, 2005-2009. *MMWR Morb Mortal Wkly Rep.* 2012 May 18;61(19):344-7.

CDC, Atlanta, GA, USA | [PubMed link](#)

Centers for Disease Control and Prevention (CDC). (2012). Motor vehicle crash deaths in metropolitan areas--United States, 2009. *MMWR.Morbidity and Mortality Weekly Report*, 61(28), 523-528.

Centers for Disease Control and Prevention, Atlanta, GA, USA [PubMed link](#)

Centers for Disease Control and Prevention (CDC). Vital signs: Unintentional injury deaths among persons aged 0-19 years – United States, 2000-2009. *MMWR Morb Mortal Wkly Rep.* 2012 Apr 20;61:270-6.

CDC, Atlanta, GA, USA | [PubMed link](#)

Centers for Disease Control and Prevention (CDC). (2012). Years of potential life lost from unintentional injuries among persons aged 0-19 years - United States, 2000-2009. *MMWR.Morbidity and Mortality Weekly Report*, 61(41), 830-833.

Centers for Disease Control and Prevention, Atlanta, GA, USA [PubMed link](#)

Cheng, J. D., Schubmehl, H., Kahn, S. A., Gestring, M. L., Sangosanya, A., Stassen, N. A., & Bankey, P. E. (2012). Impact of a graduated driver's license law on crashes involving young drivers in New York State. *The Journal of Trauma and Acute Care Surgery*, 73(2), 457-461.

Division of Acute Care Surgery, Department of Surgery, University of Rochester Medical Center, New York, USA. | [PubMed link](#)

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Donnelly J, Bimpeh Y, Trace F, Waters A, Nicholson AJ. Progress in reducing road-related deaths and injuries in Irish children. *Ir Med J.* 2012 Apr;105(4):108-10.

RCSI Department, Children's University Hospital, Dublin, Ireland | [PubMed link](#)

Dudley, M., & Chapman, B. M. (2012). Death of a 6-year-old boy with mental retardation: accident versus child abuse. *Journal of Forensic Sciences*, 57(4), 1124-1128.

Jackson County Medical Examiner's Office, Kansas City, MO, USA. | [PubMed link](#)

Dunbar G. The relative risk of nearside accidents is high for the youngest and oldest pedestrians. *Accid Anal Prev.* 2012 Mar;45:517-21.

Department of Psychology, University of Warwick, United Kingdom | [PubMed link](#)

Güloğlu R, Sarıcı IS, Bademler S, Emirikçi S, İşsever H, Yanar H, Ertekin C. Falling television related child injuries in Turkey: 10-year experience. *Ulus Travma Acil Cerrahi Derg.* 2012 Jan;18(1):61-4.

Department of General Surgery, İstanbul University, İstanbul, Turkey. | [PubMed link](#)

Hanna CL, Laflamme L, Bingham CR. Fatal crash involvement of unlicensed young drivers: county level differences according to material deprivation and urbanicity in the United States. *Accid Anal Prev.* 2012 Mar;45:291-5. Epub 2011 Aug 9.

Karolinska Institutet, Department of Public Health Sciences, Division of Global Health, Stockholm, Sweden. | [PubMed link](#)

Hatfield J, Williamson A, Sherker S, Brander R, Hayen A. Development and evaluation of an intervention to reduce rip current related beach drowning. *Accid Anal Prev.* 2012 May;46:45-51. Epub 2012 Jan 21.

NSW Injury Risk Management Research Centre, The University of New South Wales, Sydney, Australia. | [PubMed link](#)

Horvath C, Lewis I, Watson B. The beliefs which motivate young male and female drivers to speed: a comparison of low and high intenders. *Accid Anal Prev.* 2012 Mar;45:334-41. Epub 2011 Aug 26.

Centre for Accident Research and Road Safety-Queensland, Queensland University of Technology, Kelvin Grove Qld, Australia. | [PubMed link](#)

Ingram JC, Deave T, Towner E, Errington G, Kay B, Kendrick D. Identifying facilitators and barriers for home injury prevention interventions for pre-school children: a systematic review of the quantitative literature. *Health Educ Res.* 2012 Apr;27(2):258-68.

Centre for Child,adolescent Health, School of Social and Community Medicine, University of Bristol, Bristol, UK. | [PubMed link](#)

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Jacobsen P, Juel K. Poisoning mortality in Danish children and adolescents, 1970-2006 - a registry-based study. *Acta Paediatr.* 2012 Aug;101(8):873-6. Epub 2012 May 18.

Danish Poison Information Centre and Department of Occupational and Environmental Medicine, Copenhagen University Hospital, Bispebjerg, Copenhagen NV, Denmark. | [PubMed link](#)

Kendrick, D., Young, B., Mason-Jones, A. J., Ilyas, N., Achana, F. A., Cooper, N. J., . . . Coupland, C. (2012). Home safety education and provision of safety equipment for injury prevention. *Cochrane Database of Systematic Reviews (Online)*, 9, CD005014.

Division of Primary Care, University of Nottingham, Nottingham, UK. | [PubMed link](#)

Kim, H. K., Smiddy, M., Hoffman, R. S., & Nelson, L. S. (2012). Buprenorphine may not be as safe as you think: a pediatric fatality from unintentional exposure. *Pediatrics*, 130(6), e1700-3.

New York University Langone Medical Center/Bellevue Hospital Center, New York City Poison Control Center, New York, USA. | [PubMed link](#)

Kodikara S, Pollanen M. Fatal pediatric head injury due to toppled television: does the injury pattern overlap with abusive head trauma? *Leg Med (Tokyo)*. 2012 Jul;14(4):197-200. Epub 2012 Apr 11.

Centre for Forensic Science and Medicine, Department of Laboratory Medicine and Pathobiology, University of Toronto, Ontario, Canada. | [PubMed link](#)

Lawrence B, Gantt G, Samuels-Reid J...Centers for Disease Control and Prevention (CDC). (2012). Suffocation deaths associated with use of infant sleep positioners--United States, 1997-2011. *MMWR.Morbidity and Mortality Weekly Report*, 61(46), 933-937.

Centers for Disease Control and Prevention, Atlanta, GA, USA | [PubMed link](#)

Mangat, H. S., Stewart, T. L., Dibden, L., & Tredget, E. E. (2012). Complications of chlorine inhalation in a pediatric chemical burn patient: a case report. *Journal of Burn Care & Research : Official Publication of the American Burn Association*, 33(4), e216-21.

Wound Healing Research Group, Department of Surgery, Division of Plastic Surgery, University of Alberta, Edmonton, Canada. | [PubMed link](#)

Mannix, R., Fleegler, E., Meehan, W. P., 3rd, Schutzman, S. A., Hennelly, K., Nigrovic, L., & Lee, L. K. (2012). Booster seat laws and fatalities in children 4 to 7 years of age. *Pediatrics*, 130(6), 996-1002.

Divisions of Emergency Medicine, Children's Hospital Boston, Boston, MA, USA. | [PubMed link](#)

Manno, M., Maranda, L., Rook, A., Hirschfeld, R., & Hirsh, M. (2012). The reality of teenage driving: the results of a driving educational experience for teens in the juvenile court system. *The Journal of Trauma and Acute Care Surgery*, 73(4 Suppl 3), S267-72.

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

University of Massachusetts Memorial Children's Medical Center, Sudbury, Massachusetts,
USA. | [PubMed link](#)

Muñiz AE. Craniofacial injuries from television tip-over. *Pediatr Emerg Care*. 2012 Jan;28(1):52-4.

Dallas Regional Medical Center, Mesquite, TX, USA. [PubMed link](#)

Muthukrishnan, L., Raman, R., & Nagaraju, K. (2012). An unusual cause of accidental hanging in a toddler. *Pediatric Emergency Care*, 28(9), 924-925.

Kanchi Kamakoti CHILDS Trust Hospital, Chennai, Tamil Nadu, India. | [PubMed link](#)

Oyetunji TA, Stevenson AA, Oyetunji AO, Onguti SK, Ames SA, Haider AH, Nwomeh BC. Profiling the ethnic characteristics of domestic injuries in children younger than age 5 years. *Am Surg*. 2012 Apr;78(4):426-31.

Department of Surgery, Howard University College of Medicine, Washington, DC, USA. | [PubMed link](#)

Pearson M, Hunt H, Garside R, Moxham T, Peters J, Anderson R. Preventing unintentional injuries to children under 15 years in the outdoors: a systematic review of the effectiveness of educational programs. *Inj Prev*. 2012 Apr;18(2):113-23.

Peninsula Technology Assessment Group (PenTAG), Peninsula Medical School, University of Exeter, Exeter, UK. | [PubMed link](#)

Rodgers, G. B., & Topping, J. C. (2012). Safety effects of drawstring requirements for children's upper outerwear garments. *Archives of Pediatrics & Adolescent Medicine*, 166(7), 651-655.

Directorate for Economic Analysis, US Consumer Product Safety Commission, Bethesda, Maryland, USA. | [PubMed link](#)

Rogers, S. C., Gallo, K., Saleheen, H., & Lapidus, G. (2012). Wishful thinking: safe transportation of newborns at hospital discharge. *The Journal of Trauma and Acute Care Surgery*, 73(4 Suppl 3), S262-6.

Injury Prevention Center, Connecticut Children's Medical Center, University of Connecticut School of Medicine, Hartford, Connecticut, USA. | [PubMed link](#)

Sadro CT, Zins AM, Debiec K, Robinson J. Case report: lethal fetal head injury and placental abruption in a pregnant trauma patient. *Emerg Radiol*. 2012 Apr;19(2):175-80. Epub 2012 Jan 12.

Department of Radiology, Harborview Medical Center, Seattle, WA, USA. | [PubMed link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Saunders S, Coombes A, Ruddy G. Injuries sustained by children inside clothes dryers: a report of a fatality and review of the literature. *Int J Legal Med.* 2012 May;126(3):461-5. Epub 2011 Oct 19.

East Midlands Forensic Pathology Unit, University of Leicester, Leicester, UK. | [PubMed link](#)

Sherry C, "Kids can't fly: The legal issues in children's falls from high-rise buildings" (2012) 2 Prop L Rev 2

Senior lecturer in the Faculty of Law, UNSW | [full text](#)

Shin, A. Y., Longhurst, C., & Sharek, P. J. (2012). Reducing mortality related to adverse events in

children. *Pediatric Clinics of North America*, 59(6), 1293-1306.

Division of Cardiology, Department of Pediatrics, Stanford University School of Medicine, Palo Alto, CA, USA. | [PubMed link](#)

Simpson JC, Nicholls J. Preventing unintentional childhood injury at home: injury circumstances and interventions. *Int J Inj Contr Saf Promot.* 2012;19(2):141-51. Epub 2011 Dec 2

Injury Prevention Research Unit, Department of Preventive and Social Medicine, Dunedin School of Medicine, Dunedin, New Zealand. | [PubMed link](#)

Szpilman D, Bierens JJ, Handley AJ, Orlowski JP. Drowning. *N Engl J Med.* 2012 May 31;366(22):2102-10.

Adult Intensive Care Unit, Hospital Municipal Miguel Couto, and Corpo de Bombeiros Militar, Rio de Janeiro, Brazil. [PubMed link](#) | [Full text](#)

Turgut A. A study on multiple drowning syndromes. *Int J Inj Contr Saf Promot.* 2012;19(1):63-7.

School of Physical Education and Sport, Akdeniz University, Antalya, Turkey. | [PubMed link](#)

Turgut A, Turgut T. A study on rescuer drowning and multiple drowning incidents. *J Safety Res.* 2012 Apr;43(2):129-32.

School of Physical Education and Sport, Akdeniz University, Antalya, Turkey. | [PubMed link](#)

Vivian-Taylor J, Roberts CL, Chen JS, Ford JB. Motor vehicle accidents during pregnancy: a population-based study. *BJOG.* 2012 Mar;119(4):499-503

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Clinical and Population Perinatal Health Research, Kolling Institute of Medical Research,
University of Sydney, NSW, Australia. | [PubMed link](#)

Weiss JC, O'Neil J, Shope JT, O'Connor KG, Levin RA. Paediatrician knowledge, attitudes, and counselling patterns on teen driving. *Inj Prev.* 2012 Feb;18(1):10-5

Paediatric Hospitalist Division, Phoenix Children's Hospital, Phoenix, Arizona, USA. | [PubMed link](#)

Williams AF, West BA, Shults RA. Fatal crashes of 16- to 17-year-old drivers involving alcohol, nighttime driving, and passengers. *Traffic Inj Prev.* 2012;13(1):1-6.

Allan F. Williams LLC, Bethesda, Maryland, USA | [PubMed link](#)

Williams AF, Tison J. Motor vehicle fatal crash profiles of 13-15-year-olds. *J Safety Res.* 2012 Apr;43(2):129-32 Epub 2012 May 18.

LLC, Bethesda, USA. | [PubMed link](#)

Zaloshnja E, Miller TR, Lawrence B. Incidence and cost of injury among youth in agricultural settings, United States, 2001-2006. *Pediatrics.* 2012 Apr;129(4):728-34. Epub 2012 Mar 12.

Pacific Institute for Research and Evaluation, Beltsville, MD, USA | [PubMed link](#)

SUICIDE RESEARCH 2012

Adegbite-Adeniyi, C., Gron, B., Rowles, B. M., Demeter, C. A., & Findling, R. L. (2012). An update on antidepressant use and suicidality in pediatric depression. *Expert Opinion on Pharmacotherapy*, 13(15), 2119-2130.

University Hospitals Case Medical Center, Division of Child and Adolescent Psychiatry,
Cleveland, OH, USA. | [PubMed link](#)

Amitai, M., & Apter, A. (2012). Social aspects of suicidal behavior and prevention in early life: a review. *International Journal of Environmental Research and Public Health*, 9(3), 985-994.

Child and Adolescent Division, Geha Mental Health Center, PetachTikva, Israel. | [PubMed link](#)

Apter, A. (2012). Commentary: Preventing adolescent suicide: is proactive screening for mental disorders the answer? - reflections on Christiansen and Larsen (2011). *Journal of Child Psychology & Psychiatry*, 53(1), 26-27.

Feinberg Child Study Center, Schneider's Children's Medical Center of Israel, University of Tel Aviv | [PubMed link](#)

Auten, J. D., Matteucci, M. J., Gaspary, M. J., Combs, D. J., & Clark, R. F. (2012). Psychiatric implications of adolescent methamphetamine exposures. *Pediatric Emergency Care*, 28(1), 26-29.

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Department of Emergency Medicine, Naval Medical Center San Diego, San Diego, CA, USA. | [PubMed link](#)

Barlow, A., Tingey, L., Cwik, M., Goklish, N., Larzelere-Hinton, F., Lee, A., . . . Walkup, J. T. (2012). Understanding the relationship between substance use and self-injury in American Indian youth. *The American Journal of Drug and Alcohol Abuse*, 38(5), 403-408.

Center for American Indian Health, Johns Hopkins University, Baltimore, MD, USA. | [PubMed link](#)

Bevans, K. B., Diamond, G., & Levy, S. (2012). Screening for adolescents' internalizing symptoms in primary care: item response theory analysis of the behavior health screen depression, anxiety, and suicidal risk scales. *Journal of Developmental and Behavioral Pediatrics : JDBP*, 33(4), 283-290.

Division of General Pediatrics, Department of Child and Adolescent Psychiatry, University of Pennsylvania School of Medicine, Children's Hospital of Philadelphia, Philadelphia, PA, USA. | [PubMed link](#)

Bostwick, J. M., & Rackley, S. (2012). Addressing suicidality in primary care settings. *Current Psychiatry Reports*, 14(4), 353-359.

Mayo Clinic College of Medicine, Rochester, MN, USA. | [PubMed link](#)

Bouvy, P. F., & Liem, M. (2012). Antidepressants and lethal violence in the Netherlands 1994-2008. *Psychopharmacology*, 222(3), 499-506.

Department of Psychiatry, Erasmus Medical Centre, Rotterdam, The Netherlands. | [PubMed link](#)

Braquehais, M. D., Picouto, M. D., Casas, M., & Sher, L. (2012). Hypothalamic-pituitary-adrenal axis dysfunction as a neurobiological correlate of emotion dysregulation in adolescent suicide. *World Journal of Pediatrics : WJP*, 8(3), 197-206.

Department of Psychiatry and Legal Medicine, Vall d'Hebron University Hospital, Universitat Autònoma de Barcelona, Barcelona, Spain. | [PubMed link](#)

Bridge, J. A., McBee-Strayer, S. M., Cannon, E. A., Sheftall, A. H., Reynolds, B., Campo, J. V., . . . Brent, D. A. (2012). Impaired decision making in adolescent suicide attempters. *Journal of the American Academy of Child and Adolescent Psychiatry*, 51(4), 394-403.

Research Institute at Nationwide Children's Hospital, Center for Innovation in Pediatric Practice, Columbus, OH, USA. | [PubMed link](#)

Brown, D., Jewell, J., Stevens, A., Crawford, J., & Thompson, R. (2012). Suicidal Risk in Adolescent Residential Treatment: Being Female Is More Important Than a Depression Diagnosis. *Journal of Child & Family Studies*, 21(3), 359-367.

Department of Psychology, Southern Illinois University Edwardsville, USA | [Publisher link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Bureau, J. S., Mageau, G. A., Vallerand, R. J., Rousseau, F. L., & Otis, J. (2012). Self-determination: a buffer against suicide ideation. *Suicide & Life-Threatening Behavior*, 42(4), 377-393.

Universite de Montreal, Montreal, QC, Canada. | [PubMed link](#)

Cheung, Y. T., Spittal, M. J., Pirkis, J., & Yip, P. S. (2012). Spatial analysis of suicide mortality in Australia: investigation of metropolitan-rural-remote differentials of suicide risk across states/territories. *Social Science & Medicine (1982)*, 75(8), 1460-1468.

Centre for Health Policy, Programs and Economics, School of Population Health, The University of Melbourne, Melbourne, Australia. | [PubMed link](#)

Christiansen, E., & Larsen, K. J. (2012). Young people's risk of suicide attempts after contact with a psychiatric department - a nested case-control design using Danish register data. *Journal of Child Psychology and Psychiatry, and Allied Disciplines*, 53(1), 16-25.

Clinic of Suicide Prevention and Treatment for Children and Adolescents, Department of Child and Adolescent Psychiatry, Odense University Hospital, Denmark. | [PubMed link](#)

Cooper, G. D., Clements, P. T., & Holt, K. E. (2012). Examining childhood bullying and adolescent suicide: implications for school nurses. *The Journal of School Nursing : The Official Publication of the National Association of School Nurses*, 28(4), 275-283.

Christiana Care Health System, Newark, DE, USA. | [PubMed link](#)

Darke, S., Campbell, G., & Popple, G. (2012). Self-harm and attempted suicide among therapeutic community admissions. *Drug and Alcohol Review*, 31(4), 523-528.

National Drug and Alcohol Research Centre, University of New South Wales, Sydney, Australia. | [PubMed link](#)

Effinger, J. M., & Stewart, D. G. (2012). Classification of co-occurring depression and substance abuse symptoms predicts suicide attempts in adolescents. *Suicide & Life-Threatening Behavior*, 42(4), 353-358.

Department of Clinical Psychology, Seattle Pacific University, Seattle, WA , USA. | [PubMed link](#)

Fallucco, E. M., Conlon, M. K., Gale, G., Constantino, J. N., & Glowinski, A. L. (2012). Use of a standardized patient paradigm to enhance proficiency in risk assessment for adolescent depression and suicide. *The Journal of Adolescent Health : Official Publication of the Society for Adolescent Medicine*, 51(1), 66-72.

Division of Psychology and Psychiatry, Nemours Children's Clinic, Jacksonville, FL, USA. | [PubMed link](#)

Fernando, T., Gilbert, J. D., Carroll, C. M., & Byard, R. W. (2012). Ecstasy and suicide. *Journal of Forensic Sciences*, 57(4), 1137-1139.

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Discipline of Anatomy and Pathology, The University of Adelaide, Adelaide, SA,
Australia. | [PubMed link](#)

Freuchen, A., Kjelsberg, E., Lundervold, A. J., & Grøholt, B. (2012). Differences between children and adolescents who commit suicide and their peers: A psychological autopsy of suicide victims compared to accident victims and a community sample. *Child & Adolescent Psychiatry & Mental Health*, 6(1), 1-12.

Department of Psychiatry, College of Medicine, Baghdad University, Iraq | [Full text](#)

Freudenstein, O., Valevski, A., Apter, A., Zohar, A., Shoval, G., Nahshoni, E., . . . Zalsman, G. (2012). Perfectionism, narcissism, and depression in suicidal and nonsuicidal adolescent inpatients. *Comprehensive Psychiatry*, 53(6), 746-752.

Feinberg Child Study Center, Schneider Children's Medical Center of Israel, Petach Tikva, Israel. | [PubMed link](#)

Geulayov, G., Gunnell, D., Holmen, T. L., & Metcalfe, C. (2012). The association of parental fatal and non-fatal suicidal behaviour with offspring suicidal behaviour and depression: a systematic review and meta-analysis. *Psychological Medicine*, 42(8), 1567-1580.

School of Social and Community Medicine, University of Bristol, Bristol, UK. | [PubMed link](#)

Gibbons RD, Brown C, Hur K, Davis JM, Mann J. Suicidal Thoughts and Behavior With Antidepressant Treatment: Reanalysis of the Randomized Placebo-Controlled Studies of Fluoxetine and Venlafaxine. *Arch Gen Psychiatry*. 2012;69(6):580-587.

University of Chicago, Illinois, USA | [PubMed link](#)

Hawton, K., Saunders, K. E. A., & O'Connor, R. C. (2012). Self-harm and suicide in adolescents. *Lancet*, 379(9834), 2373-2382.

Centre for Suicide Research, University Department of Psychiatry, University of Oxford, Oxford, UK | [PubMed link](#)

Hepburn, L., Azrael, D., Molnar, B., & Miller, M. (2012). Bullying and suicidal behaviors among urban high school youth. *The Journal of Adolescent Health : Official Publication of the Society for Adolescent Medicine*, 51(1), 93-95.

Harvard Youth Violence Prevention Center, Harvard School of Public Health, Boston, MA, USA. | [PubMed link](#)

Hepp, U., Stulz, N., Unger-Köppel, J., & Ajdacic-Gross, V. (2012). Methods of suicide used by children and adolescents. *European Child & Adolescent Psychiatry*, 21(2), 67-73.

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Psychiatric Services Aargau AG, Teaching Hospital of the University of Zurich, Baden, Switzerland | [PubMed link](#)

Hetrick, S. E., McKenzie, J. E., Cox, G. R., Simmons, M. B., & Merry, S. N. (2012). Newer generation antidepressants for depressive disorders in children and adolescents. *Cochrane Database of Systematic Reviews (Online)*, 11, CD004851.

Orygen Youth Health Research Centre, Centre for Youth Mental Health, University of Melbourne, Melbourne, Australia. | [PubMed link](#)

Hetrick, S. E., Parker, A. G., Robinson, J., Hall, N., & Vance, A. (2012). Predicting suicidal risk in a cohort of depressed children and adolescents. *Crisis*, 33(1), 13-20.

Orygen Youth Health Research Centre, Centre for Youth Mental Health, University of Melbourne, Victoria, Australia. | [PubMed link](#)

Hill, R. M., Pettit, J. W., Green, K. L., Morgan, S. T., & Schatte, D. J. (2012). Precipitating events in adolescent suicidal crises: exploring stress-reactive and nonreactive risk profiles. *Suicide & Life-Threatening Behavior*, 42(1), 11-21.

Department of Psychology, Florida International University, Miami, FL, USA. | [PubMed link](#)

Hooven, C., Walsh, E., Pike, K. C., & Herting, J. R. (2012). Promoting CARE: including parents in youth suicide prevention. *Family & Community Health*, 35(3), 225-235.

Reconnecting Youth Prevention Research Program, Psychosocial and Community Health Department, University of Washington School of Nursing, Seattle, WA, USA. | [PubMed link](#)

Johnson, L. A., & Parsons, M. E. (2012). Adolescent suicide prevention in a school setting: use of a gatekeeper program. *NASN School Nurse (Print)*, 27(6), 312-317.

Ralston Public Schools, Nebraska, USA. | [PubMed link](#)

Katz, L. Y., & Vinnerljung, B. (2012). Suicide and attempted suicide are more common in children and adolescents in care, but rates of attempted suicide are higher before entry into care than after. *Evidence Based Mental Health*, 15(2), 38-38.

Department of Psychiatry, University of Manitoba, Winnipeg, Manitoba, Canada | [PubMed link](#)

King, C. A., Hill, R. M., Wynne, H. A., & Cunningham, R. M. (2012). Adolescent suicide risk screening: the effect of communication about type of follow-up on adolescents' screening responses. *Journal of Clinical Child and Adolescent Psychology : The Official Journal for the Society of Clinical Child and Adolescent Psychology, American Psychological Association, Division 53*, 41(4), 508-515.

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Department of Psychiatry and University of Michigan Depression Center, University of Michigan, Ann Arbor, MI, USA. | [PubMed link](#)

Kokkevi, A., Richardson, C., Olszewski, D., Matias, J., Monshouwer, K., & Bjarnason, T. (2012). Multiple substance use and self-reported suicide attempts by adolescents in 16 European countries. *European Child & Adolescent Psychiatry, 21*(8), 443-450.

Department of Psychiatry, Medical School, Athens University, Greece. | [PubMed link](#)

Kokkevi, A., Rotsika, V., Arapaki, A., & Richardson, C. (2012). Adolescents' self-reported suicide attempts, self-harm thoughts and their correlates across 17 European countries. *Journal of Child Psychology & Psychiatry, 53*(4), 381-389.

Department of Psychiatry, Medical School, Athens University, Athens, Greece | [PubMed link](#)

Langille, D. B., Asbridge, M., Kisely, S., & Rasic, D. (2012). Suicidal behaviours in adolescents in Nova Scotia, Canada: protective associations with measures of social capital. *Social Psychiatry and Psychiatric Epidemiology, 47*(10), 1549-1555.

Department of Community Health and Epidemiology, Faculty of Medicine, Dalhousie University, Halifax, NS, Canada. | [PubMed link](#)

Li, Z., & Zhang, J. (2012). Coping skills, mental disorders, and suicide among rural youths in China. *The Journal of Nervous and Mental Disease, 200*(10), 885-890.

Shandong University School of Public Health, Jinan, China. | [PubMed link](#)

Linker, J., Gillespie, N. A., Maes, H., Eaves, L., & Silberg, J. L. (2012). Suicidal ideation, depression, and conduct disorder in a sample of adolescent and young adult twins. *Suicide & Life-Threatening Behavior, 42*(4), 426-436.

Department of Psychiatry, Virginia Commonwealth University, Richmond, VA, USA. | [PubMed link](#)

Lyttle, M. D., Verma, S., & Isaac, R. (2012). Transdermal fentanyl in deliberate overdose in pediatrics. *Pediatric Emergency Care, 28*(5), 463-464.

Emergency Department, Bristol Royal Hospital for Children, Bristol, United Kingdom. | [PubMed link](#)

Mac An Ghail, M., & Haywood, C. (2012). Understanding boys': thinking through boys, masculinity and suicide. *Social Science & Medicine (1982), 74*(4), 482-489.

University of Birmingham, United Kingdom. | [PubMed link](#)

Mallett, C., De Rigne, L. A., Quinn, L., & Stoddard-Dare, P. (2012). Discerning reported suicide attempts within a youthful offender population. *Suicide & Life-Threatening Behavior, 42*(1), 67-77.

School of Social Work, Cleveland State University, Cleveland, OH, USA. | [PubMed link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Malone, K. M., Quinlivani, L., McGuinness, S., McNicholas, F., & Kelleher, C. (2012). Suicide in children over two decades: 1993-2008. *Irish Medical Journal*, 105(7), 231-233.

School of Medicine & Medical Science, UCD, Belfield, Dublin, Ireland. [PubMed link](#)

McAndrew, S., & Warne, T. (2012). Gay Children and Suicidality: The Importance of Professional Nurturance. *Issues in Mental Health Nursing*, 33(6), 348-354.

University of Salford, School of Nursing, Midwifery, and Social Work, Salford, Greater Manchester, United Kingdom. | [PubMed link](#)

McManama O'Brien, K. H., & Berzin, S. C. (2012). Examining the impact of psychiatric diagnosis and comorbidity on the medical lethality of adolescent suicide attempts. *Suicide & Life-Threatening Behavior*, 42(4), 437-444.

Center for Alcohol & Addiction Studies, Adjunct Faculty, Brown University, Providence, RI, USA. | [PubMed link](#)

McPhedran, S., & Baker, J. (2012). Suicide prevention and method restriction: evaluating the impact of limiting access to lethal means among young Australians. *Archives of Suicide Research : Official Journal of the International Academy for Suicide Research*, 16(2), 135-146.

International Coalition for Women in Shooting and Hunting (WiSH), Glebe NSW, Australia. | [PubMed link](#)

Mota, N., Elias, B., Tefft, B., Medved, M., Munro, G., & Sareen, J. (2012). Correlates of suicidality:

investigation of a representative sample of Manitoba First Nations adolescents. *American Journal of Public Health*, 102(7), 1353-1361.

University of Manitoba, Winnipeg, Manitoba, Canada. [PubMed link](#)

Niederkrotenthaler, T., Rasmussen, F., & Mittendorfer-Rutz, E. (2012). Perinatal conditions and parental age at birth as risk markers for subsequent suicide attempt and suicide: a population based case-control study. *European Journal of Epidemiology*, 27(9), 729-738.

Department of General Practice and Family Medicine, Center for Public Health, Medical University of Vienna, Austria. | [PubMed link](#)

Nolle, A. P., Gulbas, L., Kuhlberg, J. A., & Zayas, L. H. (2012). Sacrifice for the sake of the family: expressions of familism by Latina teens in the context of suicide. *The American Journal of Orthopsychiatry*, 82(3), 319-327.

Center for Latino Family Research, Washington University in St. Louis, St. Louis, MO, USA. | [PubMed link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Ougrin, D., Kyriakopoulos, M., Zundel, T., Banarsee, R., Stahl, D., & Taylor, E. (2012). Adolescents With Suicidal and Nonsuicidal Self-Harm: Clinical Characteristics and Response to Therapeutic Assessment. *Psychological Assessment, 24*(1), 11-20.

Department of Child and Adolescent Psychiatry, King's College London | [PubMed link](#)

Pena, J. B., Matthieu, M. M., Zayas, L. H., Masyn, K. E., & Caine, E. D. (2012). Co-occurring risk behaviors among White, Black, and Hispanic US high school adolescents with suicide attempts requiring medical attention, 1999-2007: implications for future prevention initiatives. *Social Psychiatry and Psychiatric Epidemiology, 47*(1), 29-42.

Washington University in St. Louis, St. Louis, MO, USA. | [PubMed link](#)

Pisani, A. R., Schmeelk-Cone, K., Gunzler, D., Petrova, M., Goldston, D. B., Tu, X., & Wyman, P. A. (2012). Associations between suicidal high school students' help-seeking and their attitudes and perceptions of social environment. *Journal of Youth and Adolescence, 41*(10), 1312-1324.

Department of Psychiatry, University of Rochester, Rochester, NY, USA. [PubMed link](#)

Pompili, M., Serafini, G., Innamorati, M., Biondi, M., Siracusano, A., Di Giannantonio, M., ... & Möller-Leimkühler, A. M. (2012). Substance abuse and suicide risk among adolescents. (2012). *European Archives of Psychiatry and Clinical Neuroscience, 262*(6), 469-485.

Department of Neurosciences, Mental Health and Sensory Functions, Suicide Prevention Center, Sant'Andrea Hospital, Sapienza University of Rome, Rome, Italy

Pompili, M., Vichi, M., De Leo, D., Pfeffer, C., & Girardi, P. (2012). A longitudinal epidemiological comparison of suicide and other causes of death in Italian children and adolescents. *European Child & Adolescent Psychiatry, 21*(2), 111-121.

Dept. of Psychiatry, Sapienza University of Rome, Sant'Andrea Hospital, Rome, Italy | [PubMed link](#)

Qi, X., Hu, W., Page, A., & Tong, S. (2012). Spatial clusters of suicide in Australia. *BMC Psychiatry, 12*, 86-244X-12-86.

Queensland University of Technology, Brisbane, Australia. | [PubMed](#)

[link](#)

Rhodes, A. E., Boyle, M. H., Bethell, J., Wekerle, C., Goodman, D., Tonmyr, L., . . . Manion, I. (2012). Child maltreatment and onset of emergency department presentations for suicide-related behaviors. *Child Abuse & Neglect, 36*(6), 542-551.

The Suicide Studies Research Unit and Keenan Research Centre at tLi Ka Shing Knowledge Institute of St. Michael's Hospital, Canada. [PubMed link](#)

Robinson, J., Yuen, H. P., Gook, S., Hughes, A., Cosgrave, E., Killackey, E., . . . Yung, A. (2012). Can receipt of a regular postcard reduce suicide-related behaviour in young help seekers? A

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

randomized controlled trial. *Early Intervention in Psychiatry*, 6(2), 145-152.

Orygen Youth Health Research Centre, Centre for Youth Mental Health, The University of Melbourne, Melbourne, Victoria, Australia. | [PubMed link](#)

Rossow, I., & Moan, I. S. (2012). Parental intoxication and adolescent suicidal behavior. *Archives of Suicide Research : Official Journal of the International Academy for Suicide Research*, 16(1), 73-84.

National Centre for Suicide Research and Prevention, University of Oslo. | [PubMed link](#)

Russell, S. T., & Toomey, R. B. (2012). Men's sexual orientation and suicide: evidence for U.S. adolescent-specific risk. *Social Science & Medicine* (1982), 74(4), 523-529.

University of Arizona, Norton School of Family & Consumer Sciences, Tucson, AZ 85721-0078, United States. | [PubMed link](#)

Schaaff, A. (2012). A Comparative Examination of Suicide Rates among Hetero- and Homosexual Adolescents and Young Adults. *Perspectives (University of New Hampshire)*, , 18-27.

University of New Hampshire, Durham, NH, USA | [Full text](#)

Schinka, K. C., Van Dulmen, M. H., Bossarte, R., & Swahn, M. (2012). Association between loneliness and suicidality during middle childhood and adolescence: longitudinal effects and the role of demographic characteristics. *The Journal of Psychology*, 146(1-2), 105-118.

Department of Psychology, Kent State University, Kent, OH, USA. | [PubMed link](#)

Schley, C., Yuen, K., Fletcher, K., & Radovini, A. (2012). Does engagement with an intensive outreach service predict better treatment outcomes in 'high-risk' youth? *Early Intervention in Psychiatry*, 6(2), 176-184.

Training & Communications, Orygen Youth Health, Parkville, Australia. | [PubMed link](#)

Schumock, G. T., Stayner, L. T., Valuck, R. J., Joo, M. J., Gibbons, R. D., & Lee, T. A. (2012). Risk of suicide attempt in asthmatic children and young adults prescribed leukotriene-modifying agents: a nested case-control study. *The Journal of Allergy and Clinical Immunology*, 130(2), 368-375.

Center for Pharmacoeconomic Research, Department of Pharmacy Practice, College of Pharmacy, University of Illinois at Chicago, Chicago, IL, USA. [PubMed link](#)

Shah, A. (2012). Suicide rates: age-associated trends and their correlates. *Journal of Injury & Violence Research*, 4(2), 79-86.

International School for Communities, Rights and Inclusion, University of Central Lancashire, Preston and Consultant Psychiatrist, West London Mental Health NHS Trust, London, United Kingdom | [PubMed link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Sher, L. (2012). Teaching medical professionals and trainees about adolescent suicide prevention: five key problems. *International Journal of Adolescent Medicine and Health*, 24(2), 121-123.

Mount Sinai School of Medicine, James J. Peters Veterans' Administration Medical Center, NY, USA. | [PubMed link](#)

Slovak, K. (2012). Clinical Concepts in Messaging Strategies to Parents of Depressed and Suicidal Adolescents. *Social Work in Mental Health*, 10(1), 72-88.

Social Work Department, Ohio State University, Zanesville, Zanesville, Ohio, USA | Publisher provided [abstract](#)

Smith, A. R., Ribeiro, J. D., Mikolajewski, A., Taylor, J., Joiner, T. E., & Iacono, W. G. (2012). An

examination of environmental and genetic contributions to the determinants of suicidal behavior among male twins. *Psychiatry Research*, 197(1-2), 60-65.

Department of Psychology, Florida State University, Tallahassee, FL, USA. | [PubMed link](#)

Soeteman, D. I., Miller, M., & Kim, J. J. (2012). Modeling the risks and benefits of depression treatment for children and young adults. *Value in Health : The Journal of the International Society for Pharmacoeconomics and Outcomes Research*, 15(5), 724-729.

Center for Health Decision Science, Harvard School of Public Health, Boston, MA, USA. | [PubMed link](#)

Sourander, A., Fossum, S., Ronning, J. A., Elonheimo, H., Ristkari, T., Kumpulainen, K., . . . Almqvist, F. (2012). What is the long-term outcome of boys who steal at age eight? Findings from the Finnish nationwide "From A Boy To A Man" birth cohort study. *Social Psychiatry and Psychiatric Epidemiology*, 47(9), 1391-1400.

Department of Child Psychiatry, University of Turku, Turku, Finland. | [PubMed link](#)

Swahn, M. H., Ali, B., Bossarte, R. M., Van Dulmen, M., Crosby, A., Jones, A. C., & Schinka, K. C. (2012). Self-harm and suicide attempts among high-risk, urban youth in the U.S.: shared and unique risk and protective factors. *International Journal of Environmental Research and Public Health*, 9(1), 178-191.

Institute of Public Health, Georgia State University, Atlanta, GA, USA. | [PubMed link](#)

Thompson, A. H., Dewa, C. S., & Phare, S. (2012). The suicidal process: age of onset and severity of suicidal behaviour. *Social Psychiatry and Psychiatric Epidemiology*, 47(8), 1263-1269.

Institute of Health Economics, Edmonton, AB, Canada. | [PubMed link](#)

Ting, S. A., Sullivan, A. F., Boudreaux, E. D., Miller, I., & Camargo, C. A., Jr. (2012). Trends in US emergency department visits for attempted suicide and self-inflicted injury, 1993-2008. *General Hospital Psychiatry*, 34(5), 557-565.

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Department of Emergency Medicine, Massachusetts General Hospital, Boston, MA, USA.

| [PubMed link](#)

Tu, C., Huang, Z., Fu, L., Fang, Y., Wang, J., Guo, T., . . . Tao, F. (2012). Predictors of suicidal ideation with sub-optimal health status and anxiety symptom among Chinese adolescents. *Journal of Tropical Pediatrics*, *58*(4), 314-319.

Shaoxing Center for Disease Control and Prevention, Shaoxing, Zhejiang Province, China. | [PubMed link](#)

Tuisku, V., Pelkonen, M., Kiviruusu, O., Karlsson, L., & Marttunen, M. (2012). Alcohol use and psychiatric comorbid disorders predict deliberate self-harm behaviour and other suicidality among depressed adolescent outpatients in 1-year follow-up. *Nordic Journal of Psychiatry*, *66*(4), 268-275.

National Institute for Health and Welfare, Department of Mental Health and Substance Abuse Services, Helsinki, and Department of Psychology, University of Tampere, Tampere, Finland. | [PubMed link](#)

Wagner, K. D. (2012). Suicidal Behavior in Children and Adolescents. *Psychiatric Times*, *29*(2), 24-24.

Departments of Psychology and Clinical Training, Catholic University of America, Washington, D.C., USA | Publisher provided [abstract](#)

Wang, J., Hausermann, M., Wydler, H., Mohler-Kuo, M., & Weiss, M. G. (2012). Suicidality and sexual orientation among men in Switzerland: findings from 3 probability surveys. *Journal of Psychiatric Research*, *46*(8), 980-986.

Institute for Social and Preventive Medicine, University of Zurich, Zurich, Switzerland. | [PubMed link](#)

Winsper, C., Lereya, T., Zanarini, M., & Wolke, D. (2012). Involvement in bullying and suicide-related behavior at 11 years: a prospective birth cohort study. *Journal of the American Academy of Child and Adolescent Psychiatry*, *51*(3), 271-282.e3.

University of Warwick, Coventry, UK. | [PubMed link](#)

Wong, M. M., & Brower, K. J. (2012). The prospective relationship between sleep problems and suicidal behavior in the National Longitudinal Study of Adolescent Health. *Journal of Psychiatric Research*, *46*(7), 953-959.

Department of Psychology, Idaho State University, Pocatello, ID, USA. | [PubMed link](#)

Wong, S. S., Sugimoto-Matsuda, J., Chang, J. Y., & Hishinuma, E. S. (2012). Ethnic Differences in Risk Factors For Suicide Among American High School Students, 2009: The Vulnerability of Multiracial and Pacific Islander Adolescents. *Archives of Suicide Research*, *16*(2), 159-173.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Department of Psychiatry and Behavioral Sciences, Division of Child and Adolescent Psychiatry,
School Of Medicine, Stanford University, Stanford, California, USA | [PubMed link](#)

Zhang, P., Roberts, R. E., Liu, Z., Meng, X., Tang, J., Sun, L., & Yu, Y. (2012). Hostility, Physical Aggression and Trait Anger as Predictors for Suicidal Behavior in Chinese Adolescents: A School-Based Study. *PLoS ONE*, 7(2), 1-5.

The Department of Child, Adolescence and Woman Health Care, School of Public Health, Tongji Medical College, Huazhong University of Science and Technology, Wuhan, Peoples Republic of China. | [Full text](#)

BEREAVEMENT RESEARCH 2012

Aho, A. L., Paavilainen, E., & Kaunonen, M. (2012). Mothers' experiences of peer support via an Internet discussion forum after the death of a child. *Scandinavian Journal of Caring Sciences*, 26(3), 417-426.

School of Health Sciences, University of Tampere, Pirkanmaa Hospital District, Tampere University Hospital, Finland Kellokoski Hospital, Kellokoski, Finland. | [PubMed link](#)

Avelin, P., Radestad, I., Saflund, K., Wredling, R., & Erlandsson, K. (2012). Parental grief and relationships after the loss of a stillborn baby. *Midwifery*,

Department of Women's and Children's Health, Karolinska Institutet, Stockholm, Sweden. |

[PubMed link](#)

Bandín, C. V. (2012). "Espérame en el cielo": The Process of Grief According to Gestalt Therapy. *Gestalt Review*, 16(2), 126-144.

Centro de Terapia y Psicología (CTP) and of the CTP Training Institute for Gestalt Therapy, Madrid, Spain | [Full text](#)

Barr, P. (2012). Negative self-conscious emotion and grief: an actor-partner analysis in couples bereaved by stillbirth or neonatal death. *Psychology and Psychotherapy*, 85(3), 310-326.

Department of Neonatology, Royal Alexandra Hospital for Children, Sydney, Australia. | [PubMed link](#)

Breeze, A. C., Statham, H., Hackett, G. A., Jessop, F. A., & Lees, C. C. (2012). Perinatal postmortems: what is important to parents and how do they decide? *Birth (Berkeley, Calif.)*, 39(1), 57-64.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Centre for Family Research, University of Cambridge, Free School Lane, Cambridge, UK. |
[PubMed link](#)

Briller, S. H., Schim, S. M., Thurston, C. S., & Meert, K. L. (2012). Conceptual and Design Issues in Instrument Development for Research with Bereaved Parents. *Omega: Journal of Death & Dying, 65(2)*, 151-168.

Department of Anthropology, Wayne State University, Detroit, Michigan, USA |
[PubMed link](#)

Cacciatore, J. (2012). Psychological effects of stillbirth. *Seminars in Fetal & Neonatal Medicine*, Arizona State University, School of Social Work, Phoenix, AZ, USA. [PubMed link](#)

Cacciatore, J., Erlandsson, K., & Radestad, I. (2012). Fatherhood and suffering: A qualitative exploration of Swedish men's experiences of care after the death of a baby. *International Journal of Nursing Studies*,

School of Social Work, Arizona State University, AZ, USA. [PubMed link](#)

Cacciatore, J., & Flint, M. (2012). Mediating Grief: Postmortem Ritualization After Child Death. *Journal of Loss & Trauma, 17(2)*, 158-172.

School of Social Work, Arizona State University, Phoenix, Arizona, USA | [Full text](#)

Crawley, J., Ditzel, L., & Walton, S. (2012). Using children's picture books for reflective learning in nurse education. *Contemporary Nurse, 42(1)*, 45-52.

School of Nursing, Otago Polytechnic, Dunedin, New Zealand. [PubMed link](#)

Cunningham, K. A. (2012). Holding a stillborn baby: does the existing evidence help us provide guidance? *The Medical Journal of Australia, 196(9)*, 558-560.

School of Medicine, University of Queensland, Brisbane, QLD, Australia. | [PubMed link](#)

Dyregrov, A., & Gjestad, R. (2012). Losing a child: the impact on parental sexual activity. *Bereavement Care, 31(1)*, 18-24.

Center for Crisis Psychology, Sørreidgrend, Norway | Publisher provided [abstract](#)

Erlandsson K, Lindgren H, Davidsson-Bremborg A, Rådestad I. Women's premonitions prior to the death of their baby in utero and how they deal with the feeling that their baby may be unwell. *Acta Obstet Gynecol Scand.* 2012 Jan;91(1):28-33

School of Health, Care and Social Welfare, Mälardalen University, Eskilstuna/Västerås, Sweden. | [PubMed link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Farrow, V. A., Goldenberg, R. L., Fretts, R., & Schulkin, J. (2012). Psychological impact of stillbirths on obstetricians. *The Journal of Maternal-Fetal & Neonatal Medicine : The Official Journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*, Department of Psychology, American University, Washington, DC, USA | [PubMed link](#)

Gerrish, N., & Bailey, S. (2012). Using the biographical grid method to explore parental grief following the death of a child. *Bereavement Care*, 31(1), 11-17.

Faculty of Health Sciences, School of Psychology and Speech Pathology, Perth, Western Australia | [PubMed link](#)

Gilrane-McGarry, U., & O Grady, T. (2012). Forgotten grievers: an exploration of the grief experiences of bereaved grandparents (part 2). *International Journal of Palliative Nursing*, 18(4), 179-187.

Department of Nursing and Health Studies, St Angela's College, Lough Gill, Sligo, Ireland. | [PubMed link](#)

Gold, K. J., Boggs, M. E., Mugisha, E., & Palladino, C. L. (2012). Internet message boards for pregnancy loss: who's on-line and why? *Women's Health Issues : Official Publication of the Jacobs Institute of Women's Health*, 22(1), e67-72.

Department of Family Medicine, University of Michigan, Ann Arbor, MI, USA | [PubMed link](#).

Heazell, A. E., McLaughlin, M. J., Schmidt, E. B., Cox, P., Flenady, V., Khong, T. Y., & Downe, S. (2012). A difficult conversation? The views and experiences of parents and professionals on the consent process for perinatal postmortem after stillbirth. *BJOG : An International Journal of Obstetrics and Gynaecology*, 119(8), 987-997.

Maternal and Fetal Health Research Centre, Manchester Academic Science Centre, University of Manchester, Manchester, UK | [PubMed link](#)

Hooghe, A., Neimeyer, R. A., & Rober, P. (2012). "Cycling around an emotional core of sadness": emotion regulation in a couple after the loss of a child. *Qualitative Health Research*, 22(9), 1220-1231.

University of Leuven, Leuven, Belgium. | [PubMed link](#)

Horey D, Flenady V, Conway L, McLeod E, Yee Khong T. Decision influences and aftermath: parents, stillbirth and autopsy. *Health Expect.* 2012 Jun 19. [Epub ahead of print]

Research Education and Development Unit, La Trobe University, Melbourne, Vic. Australia. | [PubMed link](#)

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Jellinek MS, Okoli UD. When a student dies: organizing the school's response. *Child Adolesc Psychiatr Clin N Am.* 2012 Jan;21(1):57-67, viii.

Department of Psychiatry, Massachusetts General Hospital, Harvard Medical School, Newton, MA, USA. | [PubMed link](#)

Kaplow, J. B., Layne, C. M., Pynoos, R. S., Cohen, J. A., & Lieberman, A. (2012). DSM-V diagnostic criteria for bereavement-related disorders in children and adolescents: developmental considerations. *Psychiatry, 75(3), 243-266.*

University of Michigan Medical School, Department of Psychiatry, Ann Arbor, MI USA. [PubMed link](#)

Kersting A, Wagner B. Complicated grief after perinatal loss. *Dialogues Clin Neurosci.* 2012 Jun;14(2):187-94. Review

Department of Psychosomatic Medicine, University of Leipzig, Germany | [PubMed link](#)

Khashan, A. S., Wicks, S., Dalman, C., Henriksen, T. B., Li, J., Mortensen, P. B., & Kenny, L. C. (2012). Prenatal stress and risk of asthma hospitalization in the offspring: a Swedish population-based study. *Psychosomatic Medicine, 74(6), 635-641.*

Anu Research Center, Department of Obstetrics and Gynaecology, University College Cork, Cork University Maternity Hospital, Cork, Ireland. | [PubMed link](#)

Li, J., Vestergaard, M., Obel, C., Cnattingus, S., Gissler, M., Ahrensberg, J., & Olsen, J. (2012). Antenatal maternal bereavement and childhood cancer in the offspring: a population-based cohort study in 6 million children. *British Journal of Cancer, 107(3), 544-548.*

Section for Epidemiology, Department of Public Health, Aarhus University, Aarhus, Denmark. | [PubMed link](#)

Macconnell, G., Aston, M., Randel, P., & Zwaagstra, N. (2012). Nurses' experiences providing bereavement follow-up: an exploratory study using feminist poststructuralism. *Journal of Clinical Nursing,*

Pediatric Palliative Care Service, IWK Health Centre, Halifax, Nova Scotia, Canada. | [PubMed link](#)

Mancini, A. D., Griffin, P., & Bonanno, G. A. (2012). Recent trends in the treatment of prolonged grief. *Current Opinion in Psychiatry, 25(1), 46-51.*

Pace University, Pleasantville, New York, USA | [PubMed link](#)

Marco, C. A., & Wetzel, L. R. (2012). Communication with survivors of motor vehicle crashes. *Emergency Medicine Journal : EMJ, 29(8), 626-629.*

Department of Emergency Medicine, University of Toledo College of Medicine, 3045 Arlington Avenue, Toledo, OH, USA. | [PubMed link](#)

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Mashiach, R., Anter, D., Melamed, N., Ben-Ezra, M., Meizner, I., & Hamama-Raz, Y. (2013).

Psychological response to multifetal reduction and pregnancy termination due to fetal abnormality. *The Journal of Maternal-Fetal & Neonatal Medicine : The Official Journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*, 26(1), 32-35.

Department of Obstetrics and Gynecology, Rabin Medical Center, Petach Tikva, Israel. |

[PubMed link](#)

Meert, K. L., Templin, T. N., Michelson, K. N., Morrison, W. E., Hackbarth, R., Custer, J. R., . . .

Thurston, C. S. (2012). The Bereaved Parent Needs Assessment: a new instrument to assess the needs of parents whose children died in the pediatric intensive care unit*. *Critical Care Medicine*, 40(11), 3050-3057.

Department of Pediatrics, Children's Hospital of Michigan, Detroit, MI, USA. | [PubMed link](#)

Miers, D., Abbott, D., & Springer, P. R. (2012). A Phenomenological Study of Family Needs Following the Suicide of a Teenager. *Death Studies*, 36(2), 118-133.

Mental Health Services Department, BryanLGH Medical Center, Lincoln, Nebraska, USA |

Publisher provided [abstract](#)

Murphy, S. (2012). Reclaiming a moral identity: stillbirth, stigma and 'moral mothers'. *Midwifery*, 28(4), 476-480.

The Open University, Faculty of Health and Social Care, Milton Keynes, UK. | [PubMed link](#)

Nazaré, B., Fonseca, A., & Canavarro, M. C. (2012). Grief following termination of pregnancy for fetal abnormality: does marital intimacy foster short-term couple congruence? *Journal of Reproductive & Infant Psychology*, 30(2), 168-179.

Faculty of Psychology and Educational Sciences, University of Coimbra, Coimbra, Portugal |

Publisher provided [abstract](#)

O'Leary, J., & Warland, J. (2012). Intentional Parenting of Children Born After a Perinatal Loss. *Journal of Loss & Trauma*, 17(2), 137-157.

Field Faculty Center for Early Education and Development, University of Minnesota, Minneapolis, Minnesota, USA | Publisher provided [abstract](#)

Rostila, M., Saarela, J., & Kawachi, I. (2012). Mortality in parents following the death of a child: a nationwide follow-up study from Sweden. *Journal of Epidemiology and Community Health*, 66(10), 927-933.

Centre for Health Equity Studies, Stockholm University, Stockholm, Sweden. | [PubMed link](#)

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Runoff, J. (2012). Sitting in silence with grieving parents gave them support. *Nursing Standard*, 26(36).

Publisher provided [abstract](#)

Shreffler KM; Wonch Hill P; Cacciatore J. Exploring the Increased Odds of Divorce Following Miscarriage or Stillbirth . *Journal of Divorce & Remarriage* 2012: 53(2); 91

Oklahoma State University, Faculty of Human Development and Family Science |

Publisher provided [abstract](#)

Spuij, M., Reitz, E., Prinzie, P., Stikkelbroek, Y., de Roos, C., & Boelen, P. A. (2012).

Distinctiveness of symptoms of prolonged grief, depression, and post-traumatic stress in bereaved children and adolescents. *European Child & Adolescent Psychiatry*, 21(12), 673-679.

Department of Child and Adolescent Studies, Utrecht University, Utrecht, The Netherlands. |

[PubMed link](#)

Tan, J. S., Docherty, S. L., Barfield, R., & Brandon, D. H. (2012). Addressing Parental Bereavement Support Needs at the End of Life for Infants with Complex Chronic Conditions. *Journal of*

Palliative Medicine, 15(5), 579-584.

Division of Pediatric Hematology and Oncology, Duke University Hospital, Durham, North Carolina, USA | [PubMed link](#)

Valizadeh, L., Zamanzadeh, V., & Rahiminia, E. (2012). Comparison of anticipatory grief reaction between fathers and mothers of premature infants in neonatal intensive care unit. *Scandinavian Journal of Caring Sciences*, 2012 Nov 2. doi: 10.1111/scs.12005. [Epub ahead of print]

Department of Child and Family Health, School of Nursing and Midwifery, Tabriz university of Medical Sciences, Tabriz, Iran | [PubMed link](#)

Weaver-Hightower, Marcus B. (2012). Waltzing Matilda: An Autoethnography of a Father's Stillbirth. *Journal of Contemporary Ethnography*, 41: 462

University of North Dakota, Grand Forks, ND, USA | Publisher provided [abstract](#)

Welborn, J. M. (2012). The experience of expressing and donating breast milk following a perinatal loss. *Journal of Human Lactation : Official Journal of International Lactation Consultant Association*, 28(4), 506-510.

The Chicago School of Professional Psychology, Los Angeles, CA, USA. | [PubMed link](#)

Wender, E., & Committee On Psychosocial Aspects Of Child And Family Health. (2012). Supporting the family after the death of a child. *Pediatrics*, 130(6), 1164-1169.

[PubMed link](#) [\[Full text\]](#)

ASK Online includes all manner of material that relates to the sudden unexpected death of infants and children. Red Nose does not necessarily agree with the theories, conclusion, advice or other contents of the catalogue and accepts no responsibility for how searchers make use of or understand the information.

Red Nose library
Research list 2012
Citations of selected published research, predominantly from Australia
Links to National Library of Medicine (USA) PubMed database

This list has been compiled to assist researchers, health care professionals, carers and families in the Red Nose Community to be able to access further information and research that is relevant to their experiences.

Youngblood, A. Q., Zinkan, J. L., Tofil, N. M., & White, M. L. (2012). Multidisciplinary simulation in pediatric critical care: the death of a child. *Critical Care Nurse*, 32(3), 55-61.

Pediatric Simulation Center at Children's of Alabama, Birmingham, AL, USA. | [PubMed link](#)

To find our more or contact Red Nose visit www.rednose.com.au or email info@rednose.com.au.